

WOOD FLOOR SPECIALISTS 1903





WOOD FLOOR SPECIALISTS

American Sanders began in 1903 as The American Floor Surfacing Machine Company and built the first floor sanding machine on record with the U.S. Patent Office. Over one hundred years later, American Sanders remains the worldwide leader in the design and production of wood floor sanders and edgers for the professional contractor as well as the do-it-yourselfer. Today we continue this heritage with innovative equipment designs focusing on performance, reliability and user ergonomics while furthering our investments in state-of-the-art product testing facilities, quality enhancement processes and upgraded production methods.

1920 1998 0 2020 B-2+ two-speed edger launched Clarke purchases American Sanders

Pride Program

Training Program

MACHINES

Belt & Drum

Legend

Rotary

Orbital

Edgers

Dust Containment

CHEMICALS

AMP Anti-Microbial Protection

TimberGuard

APPLICATIONS

Disinfecting Wood Floors

Concrete Floor System

ACCESSORIES

Rotary Head Options

Parts & Accessories

CUSTOMER SERVICE

Here at American Sanders, we offer world class customer service. Contact us by calling 1-800-367-3550 (U.S.) or +1 336-372-8080 (international) You can also reach us at www.americansanders.com/contact

to smooth bar tops, which evolved to the floor edger

1916

Machine Company receives patent for the

1931

1982

1988

1998

2014

2015

HydraSand multi-disc sanding head is launched

2017 2020

2022

builds first floor sanding machine on record

1903

tolerances and to meet growing demand

1929

is launched

A drum sander for

relocates to Springdale, AR

FloorCrafter Belt Sander

water-based floor coatings launched

Sander launched



Being the leading manufacturer of wood floor sanders for more than a century takes dedication, long hours, commitment, and most of all, pride in what we do.

The American Sanders Pride program is a formal recognition of our commitment to design, performance, reliability and customer service.

We take that responsibility seriously and are committed to continuously improving upon our innovative equipment design, performance, reliability and customer service.

The Pride Program Includes: *

60-Day Satisfaction Guarantee

Correct or replace an American Sanders machine with unsatisfactory defect in workmanship or parts.

New Product Registration System

A simple process to register a machine, give feedback, and get FREE swag.

Quality Management System

Comments, questions or concerns get response within two business days.

Benefits For The Contractor: *

Be a part of improving your industry

Sharing your experience, good or bad, helps us to understand what is important to you on the job site, and to learn where we could make improvements.

Have confidence in your sanding machines

We have a commitment to design, performance, reliability and customer service so that you can have confidence in your machines on the job site.



· See how to receive exclusive FREE swag







American Sanders *Sand & Finish Schools* provide thorough hands-on training courses designed to enhance your current skill set as a wood floor craftsman. Whether you are an experienced craftsman or just getting started as a sand and finish contractor, the American Sanders training classes can help you become the best that you can be.

American Sanders *Machine Maintenance & Trouble Shooting School* trains contractors on preventative maintenance and minor repairs on edgers and belt sanders. Maintenance on other machines can be covered as requested. This class is intended for wood floor contractors who maintain their own equipment, or want to learn how to make their equipment provide optimal service for many years.

American Sanders *Service Technician* classes cover a range of repairs applicable to the American Sanders line of equipment. This class is reserved for technicians currently employed by our dealers. In order to attend this school, your application must be approved by your American Sanders sales representative.





Legend Belt Sander The new standard in belt sanders.

- Enhanced chassis system
 Drum pressure adjustment from 50 to 90 lbs.
 4hp (6.5hp peak) continuous duty motor
 Optional colors, accessories, and custom ordering available
 SEE ALL PRODUCT DETAILS ON PAGE 8



FloorCrafter Belt Sander

The benchmark machine for many years: a versatile, high performance 8" belt sander.

- · Precision balanced drum · Patented one-tool leveling adjustment
- · Recessed drum door
- · Patented dolly transport system · "Feathering" drum control handle



American 12 Drum Sander

Most aggressive and productive 12" drum sander available for gyms and ballrooms.

- · 4HP (1ph) motor or 10HP (3ph) motor
- · Cast aluminum frame · Totally enclosed dust-free motor · Removable dust pipe
- · Urethane wheels
- · "Feathering" drum control handle



American 8 Drum Sander Powerful and aggressive 8" drum sander.

· 4HP (1ph) motor · Dynamically balanced drum · Cast aluminum frame

- · Totally enclosed dust-free motor · Removable dust pipe
- · Urethane wheels
- · "Feathering" drum control handle · Drum pressure control



EZ-8 Drum Sander

8" drum sander, easy transport for small jobs and challenging access.

- · 1.5HP/120V motor
- · Removable dust pipe
- · Detachable handle
- · Expandable or clamp style drum
- · No-slip cogged belts
- · Cast aluminum frame and housings

Legend B" BELT SANDER

PERFORMANCE ENGINEERING

This innovative machine delivers aggressive cutting capability and smooth operation, resulting in exceptionally flat floors.

Cuts Fast & Flat

Powerful 4HP (6.5HP Peak) Continuous Duty Motor

Easy Drum Pressure Adjustment

- 5 Settings (50, 60, 70, 80, 90 lb)
- Tune your machine for specific job site conditions or personal preference

Enhanced Chassis Suspension System

A balanced system of compression and extension springs provides superior stability, helping to eliminate side cutting, wave, and chatter on damaged and uneven floors



Dual Mode Feathering Handle







Drum and Top Roller System

Advanced engineering provides an aggressive cut while requiring minimal operator maintenance.

- "V" Crown, dynamically balanced upper roller
- Precision balanced drum with cooling slots
- Simple, fast, precise paper alignment
- Vented paper door facilitates dust collection, reduces buildup on upper roller



·······Laser Guide for Enhanced Sight Lines



JOB SITE EFFICIENCY

From monitoring critical functions, reducing dust in the work space, simple and effective machine set up, to easily transporting the machine, the Legend helps to reduce the time and energy on any typical job site.

Monitor Critical Functions

Digital Run-Time Meter

Digital Volt Meter

On-Board Circuit Breaker

Transport Your Machine With Care & Ease

Onboard Transport Dolly

- Can be left on machine without fear of rubbing the wall
- Remove or attach in seconds

Multi-Use Transport Handle

• Carry the motor or carry the frame

Tool-Free Quick Release Motor Mount

• Just Pull and Rotate two D rings to loosen the motor in seconds

Optional Stair Climber Dolly

• One-person transport of the machine and motor up and down stairs



















SANDERS

Control Center with Intuitive Power Switch and USB Charge Port

Ergonomics To Reduce Fatigue

Optional Adjustable Height Handle:

Adjustable height handle provides ergonomic comfort to reduce fatigue for operators of all sizes.

- 4 SettingsLowest Setting: 33.6" from floorHighest setting: 37.9" from floor

Exceptional Functionality

Dust-Free Bag Connection

- Check valve connector prevents dust release when bag is
- Also accepts drawstring bag or vacuum hose
- Dust tube rotates freely or can be locked in place

Dual Poly-V Belts

- Reduced vibration
- No need to loosen belt tension in between jobs

Tool-Free Belt Tension Release



Bright White LED Work Light

Reduced Noise Level


Onboard Tool Kit



CREATE YOUR CUSTOM Legend

In addition to the legendary performance engineered into this machine, you can order a Legend to satisfy your personal style and your individual needs.

- Standard machine is black with maple wood handles
- Choose Red, White, Blue, Gold or Black components
- Frame
- Control Handle Cover
- Drum Paper Door
- Belt Cover
- Light Cover
- Laser housing
- Choose Maple, Red Oak, or Walnut wood handles
- Control Handle
- Lifting Handle





(Walnut, Maple, or Oak)



A functional dolly to allow one person to move the motor and the frame up and down stairs.





Order your custom Legend belt sander online at americansanders.com/Legend.

You can order a base machine or configure a custom machine with color choices and optional accessories.



- Select colors for each component
- Select handle wood type
- See 360° view of your custom machine
- Confirm your order summary & click "Order now"

American Sanders will call to confirm your order. Your custom machine will ship directly to you. Machines and accessories can also be purchased at your local American Sanders distributor.



Adjustable height handle provides ergonomic comfort to reduce fatigue for operators of all sizes.

- 4 Settings
- Lowest Setting: 33.6" from floorHighest setting: 37.9" from floor



SPECIFICATIONS

Motor	6.5 hp peak / 4 hp continuous 208 - 230 V / 60 Hz 240 V / 50 Hz (3 hp / 2.2 kW)

שrum	Size	8 11	1

um Pressure	50, 60, 70, 80, 90 lb
Positions)	00, 00, 70, 00, 00 15

Wheels	Molded urethane wheels - 4 in
	Caster - 3 in split-type

50 ft. gray, non-marking, rubber

 Dimensions 	35 x 14 x 37 in

Weight	200 lb

Housents	Machine: Parts & Labor - 1 yr*
Varranty	*Excludes consumable wear iter



Epoch Rotary Sander

Dual speed, multi-purpose machine provides versatility and high performance productivity.

- · High torque 60-amp DC-rectified motor
- · Dual speed functionality
- · Adjustable 25-lb weight kit
- · Bright, flexible LED light
- Dust control readyHeavy duty 6" wheels
- · Exclusive tilt-back wheel system



RS-16 & RS-16DC Rotary Sander

Lightweight rotary sander that is easy to use, even on aggressive sanding jobs.

- · Powerful, 1.5HP motor
- · Dust control ready model
- · Smooth and rugged steel planetary gear
- · Transparent safety plug with light
- · Grip face pad driver supplied



Epoch HD Rotary Sander

230V Dual speed, multi-purpose machine provides versatility and high performance productivity.

- · 230V, 2.5HP motor
- · 16" and 20" models
- · Dual speed capability
- · Adjustable 25-lb weight kit
- · Bright, flexible LED light
- · Dust control ready
- · Heavy duty 6" wheels
- · Exclusive tilt-back wheel system



1600DC Rotary Sander

Versatile, low maintenance rotary machine.


- Powerful, fully enclosed 1.5HP motor
- Smooth operation
- · Dust control ready
- · Gray, non-marking transport wheels
- · 5-Year warranty



FM-2000 Floor Maintainer

Versatile, low maintenance rotary machine.

- · Use on multiple floor types
- · For sanding, polishing, scrubbing, and grinding · 20" pad driver
- · 360 Degree non-marking bumper
- · Ultra smooth power transmission



with the HydraSand, the Epoch acts as a planetary sander, abrading and flattening floors.





3DS Orbital Sander

Multi-disc orbital sander provides cross-grain sanding and efficient dust control.

Powerful, fully enclosed 3HP motor
On-board vacuum
Convenient lifting handle
Padded operator's handle
Uses three 8" sanding discs



EZ-Sand Orbital Sander

Compact triangular design perfect for tight spaces and easy transport.

- Three-motor, triple sanding heads
- · Self contained dust containment or attach to external vac
- · Modular design for storage and transport · Dust skirt



OBS-18 Orbital Sander

Random-orbital sander removes scratch patterns, leaves a smooth floor ready to finish.

- · 3,600 Orbits/min
- · Totally enclosed, fan-cooled motor
- · Heavy duty cast aluminum frame
- · Transparent safety plug with light



OBS-18DC Orbital Sander

Random-orbital sander with on-board dust containment system.

- 3,600 Orbits/min
- Totally enclosed, fan-cooled motor
- · Heavy duty cast aluminum frame
- · Independent dust pick-up fan (DC)
- · Dust containment ready
- · Transparent safety plug with light

The random-orbital sanding action of the OBS-18 and OBS-18DC removes the scratch patterns left by drum or rotary sanders, leaving a smooth, flat floor ready for refinishing. At 3,600 orbits per minute, the OBS-18 sands faster than any other orbital sander available. With torque-less operation for enhanced operator comfort, the OBS-18 and OBS-18DC are perfect for interim "screen and recoat" and fine finish sanding jobs.

16



Compass by American Sanders is a brand-new lightweight machine designed around sanding stair treads and risers. The Compass delivers aggressive sanding performance in a uniquely compact and versatile package.







For Stair Edging.

· Rotating handle and balancing wheel make sanding stair treads and risers a breeze · Optimized cut angle greatly reduces sanding time on risers and treads · Bottom slip plate allows for stability and maneuverability on stairs

• For Floor Edging.

· Compact, lightweight package ideal for tight spaces · Leaves about a quarter-size area in the corners to scrape · Low profile nose allows reach under toe kicks

· Removable caster assembly provides added stability for floor edging

For Productivity.

- 1/2 HP Motor
- · 5" Hook & loop paper
- Vacuum ready, excellent dust pickup
- Integrated light strip provides excellent work visibility
- Glass-reinforced nylon construction makes this machine strong and durable



Super 7R Edger

Edger of choice for over 50 years.

· 120V, 1HP motor 2800 RPM · Precision-balanced 7" disc Vac ready dust control



- 2 speed, 1 HP motor




EZ-E Extension Edger Ideal for hard to reach areas.

· 8" or 13" interchangeable sanding deck · 2800 RPM with 7" disc (8" ext.) 3200 RPM with 5" disc (13" ext.) Tool-free caster adjustment Vac ready dust control



B-2+ Edger Two-Speed motor offers versatility.

2800 RPM, 3200RPM · Precision-balanced 7" disc · Vac ready dust control



The EZ-E Extension Edger is the perfect tool for tackling the most difficult edging challenges, including toe-kicks and radiators. Available in 8" and 13" interchangeable configurations, the EZ-E gives you the reach needed to deliver beautiful results. The EZ-E can be run with the included quick release dust bag or can attach directly to a vacuum and comes with a soft case for storage and transport.





AVAC 12-P Vacuum High-end filtration, compact size.

- · 120V, 2-stage motor · 131 CFM suction
- · Large, 12-gallon capacity
- · Exceptional filtration
- · Use with wide range of machines or floor wand



AVAC 18 Vacuum

- High performance mid-size dust containment system.
- Two 800-watt, dual stage motors
- · Robust 18-gallon canister
- · Clear lid to monitor tank
- · Reusable or disposable filters · H.E.P.A. filter available



AVAC 26 Vacuum

High performance dust containment system.

- · Three 800 watt, dual stage motors
- · 26-gallon capacity · Dual 2" intake ports
- · Clear lid to monitor tank
- · Reusable or disposable filters
- · H.E.P.A. filter available



AVAC Q-10 Vacuum

Rugged, lightweight back pack.

- · Great for screen and re-coat applications · Rotary or orbital sanders
- Includes 5 stage filtration when H.E.P.A. installed



DC400L Dust Containment System

Designed for full isolation of work debris, the DC400L is an excellent choice for dust containment on wood and concrete projects. The HEPA level triple filtration and longopac bagging system meet the requirements of the OSHA silica dust rule (29 CFR 1926.1153) for concrete floor polishing. Dual motor suction provides powerful pick-up in an efficiently sized machine.

- Advanced Filtration:
- 3-Stage HEPA filtration
- Meets OSHA silica rule requirements
- 99+% filter efficiency
- Switch-operated reverse pulse filter cleaning system
- Longopac format allows for near-continuous use without dust exposure
- · 2 motors provide strong pickup
- · Efficient size for big machine performance
- Non-marking over-sized rear wheels
- 16-foot 3" hose





AMP[™] **AntiMicrobial Protection** is a chemical technology in TimberGuard[™] floor coatings that inhibits the growth of bacteria.

Bacteria on floors is a common source of odor and stains. **AMP** is an advanced technology within the floor coating that inhibits the growth of stain and odor causing bacteria on the floor surface.







Odors & Stains



EPA Registered Antimicrobial Ingredient

American Sanders **TimberGuard** floor coatings with **AMP** technology provide continuous antimicrobial protection from the moment the floor coating is dry, 24/7 for the usable life of the coating. No chemical mixing or non-standard floor preparation is required. This unique application of technology inhibits the growth of odor and stain causing bacteria on a cellular level, preventing bacterial microorganisms from feeding, growing, and reproducing.

AMP ANTIMICROBIAL PROTECTION

is available in

TimberGuard, TimberGuard PRO, & TimberGuard SELECT .

See these product descriptions on page 25.

The application of floor coatings with AMP technology is not a substitute for normal cleaning practices.



COMMERCIAL & RESIDENTIAL FLOOR COATINGS



TimberGuard Pro

Premium protection with industry leading durability.

2K urethane formula

Colorless

Resists scuff marks and scratches Ideal for commercial or high-traffic

residential

Available Sheens: Super Matte, Satin, Semi-Gloss, High Gloss



TimberGuard wood floor coatings are water-based finishes with selections for high-traffic commercial to light-traffic residential applications. All TimberGuard coatings are low VOC formulas, provide quick dry times, and are water soluble for easy cleanup.



TimberGuard

Excellent on high traffic floors.

- 1K urethane formula
- Colorless
- Excellent durability

Available Sheens: Super Matte, Satin, Semi-Gloss, High Gloss



TimberGuard Select

Ideal for residential and light commercial floors.


- · 1K urethane/acrylic formula
- · Excellent flow characteristics
- Colorless
- Excellent durability

Available Sheens:

Super Matte, Satin, Semi-Gloss




TABER ABRASION DURABILITY RESULTS




Test results from an independent third party laboratory.

TABER ABRASION DURABILITY RESULTS



Test results from an independent third party laboratory.

TABER ABRASION DURABILITY RESULTS



Test results from an independent third party laboratory.

SEALERS & BONDING AGENTS

TimberGuard sealers and bonding agents are optimized for sealing or re-coating of all wood floors and water-based coatings. These products are an essential part of achieving a premium wood floor finish.



TimberSeal

Optimizes adhesion, protects against tannin bleed.

- Specially formulated to prevent tannin bleed
- · 34% solids
- Flows easily and provides a solid build layer
- · Seal and finish in one day

TimberBond

Ensures good bond between

For dust-free re-coating.

finish layer and the floor High coverage rate

Dries quickly, saving time

CLEANERS

The TimberGuard line of floor cleaners is formulated for all wood floor cleaning tasks ranging from daily maintenance to removing all contaminants in preparation for a re-coat.




TimberClean

All purpose wood floor cleaner.

- · Use with auto scrubber or mop
- · No residue





Industrial grade cleaner.

TimberClean Deep Scrub

Essential for re-coat applications



TimberClean Daily A daily spot cleaner.

· Cleans without damaging the finish

- · Does not penetrate wood · Leaves no residue
- · Environmentally preferred

TimberClean Mop Kit Daily cleaner with mop.

· Safe on wood, laminate, and other hard surfaces Complete floor maintenance kit

24

DISINFECTING & CLEANING WOOD FLOORS

Keeping wood floors clean not only contributes to longevity of the floor finish, it also contributes to having a clean and healthy household. Disinfecting wood floors is simple and EFFECTIVE using the right products.

Disinfecting the floors is a great added value service to offer your customers.

DISINFECTING WOOD FLOORS

Pioneer Eclipse™ NOVA™ is a concentrated germicidal disinfectant, cleaner and deodorizer that leaves behind a subtle Fresh lemon scent.



CLEANING WOOD FLOORS

TimberClean products are effective all-purpose cleaners safe to use on all wood floors finished with polyurethane or acrylic coatings.

TimberClean Daily (712) is a ready-to-use version that comes in a convenient spray bottle.

TimberClean (713) is a concentrate to mix with just water for everyday cleaning

CLEANING & DISINFECTING CHEMICALS



TimberClean

All purpose wood floor cleaner.

- Removes dust and light soils
- · Use with auto scrubber or mop
- · Dries auickly
- · No residue



TimberClean Daily

A daily spot cleaner.

- · Cleans without damaging the finish
- · Does not penetrate wood
- · Leaves no residue
- Environmentally preferred



Nova Disinfectant

Germicidal disinfectant

- Effective against SARS-CoV-2
- · Broad spectrum germicidal, kills hepatitis B
- · Bactericide, fungicide, mildewstat
- Effective cleaner for everyday use
- Pleasant lemon fragrance

CONCRETE RESTORATION

Transform those raw concrete patios, garages, and basements with a high gloss polished floor. It's a simple process using the Epoch rotary sander with a sequence of diamond discs to repair, prep, and then polish to the level of gloss desired.

Restoring and polishing concrete can be an additional revenue source using the machine and the skills of a wood floor contractor.





CONCRETE CHEMICALS & TOOLS



HardCore **Densifying Treatment**

- Increases durability
- · Prolongs shine · Improves stain resistance



LockOut Hard Floor Protector

- · Hardens & protects floors · Superior stain protection
- · Burnish to a high gloss shine



Reclaim Hard Floor Cleaner & Maintainer

- · Seals & protects as it cleans High stain resistance
- · High cleaning performance of oil based contaminants



Eclipse Penetrating Sealer

- · Durable protective barrier on porous surfaces
- · Non-film forming
- · Excellent oil & water repellancy



Concrete Prep Tool



Mastic Removal Tool





PowerPolish HT Pads

PowerPolish Diamond Discs



100 Grit

200 Grit



800 Grit DP320800K5







ROTARY HEAD OPTIONS

Part Number	Description	Sander 1600	RS-16 (DC)	Epoch Epoch HD	Epoch HD-20	FM-2000	Recommended Use
SA031600	HydraSand	•					Hardwood floor sanding.
SA035400	HydraSand 20						Hardwood floor sanding.
AS059000	Advanced Surfacing Brush	•					For wire brush surfacing technique.
460908	Polishing Brush		•			MA	Hard surface polishing.
51705A	Polypro Scrub Brush		1.6	1/2 - 1/3		i in	Medium grit scrub brush.
460918	Steel Wire Brush	• ,)					Coating removal, surface prep, or ice removal.
460215	Sanding Pad Driver	•					Used to drive 16" sandpaper.
500212	Grinding Pad	•					Concrete grinding or surface prep.
SA031900	Hydrashine						Diamond polishing.
56383926	Mastic Removal Tool	•					Coating removal.
56383930	Concrete Prep Tool	•	•] 31.[]		Surface prep for applying coatings or adhesives.
37007A	Super Grip Padded Driver	•					Foam backer for smooth operation in both wet and dry applications
53158A	Perma-Grip Pad Driver	•					Repairable, thick pad holder for dry applications.
37008A	Super Grip Pad Driver	• '					Foam backer for smooth operation in both wet and dry applications
10242A	Pad Driver	• 1					Great for dry, thin pad applications.
MP481100	Pad Driver, 16"						Economical pad driver for wet applications.
30638A	Pad Driver, 17"	Mil	4-7				Bristled pad holder for wet applications.
MP478400	Pad Driver, 19"			13/18	3/1		Economical pad driver for wet applications.
50866A	C2K Pad Driver, 19"			的然人			Economical pad driver for wet applications.
53156A	Perma-Grip Pad Driver, 19"			THE L	S. C. M.		Repairable, thick pad holder for dry applications.
37011A	Super Grip Pad Driver, 19"				15 1		Foam backer for smooth operation in both wet and dry applications
480206	Sanding Pad Driver, 19"			I Sign		# (8)	Used to drive 19" -20" sand paper.
51707A	Polypro Scrub Brush			GN -3		R	Medium grit scrub brush.

Advanced Surfacing Brush AS059000 use with Epoch HD, RS-16DC, Sander 1600






HydraShine SA031900 use with Epoch HD



Mastic Removal Tool

HydraSand SA031600 use with Epoch, Epoch HD, RS-16DC, Sander1600



HydraSand-20 SA035400 use with Epoch HD 20, FM-2000



Concrete Prep Tool

56383930 use with Epoch HD, RS-16DC, Sander 1600



Super Grip Padded Driver 37008A use with Epoch, Epoch HD, RS-16DC, Sander1600



FloorCrafter Drum 20015A - FloorCrafter

DRUM MACHINES

Part Number					
50992A	Urethane Truck Wheel for FloorCrafter, American 8, American 12				
61333A	Urethane Castor Wheel American 8, American 12				
30088A	Transport Base for FloorCrafter and American 8				
53560A	Leather Operator's Belt				
50954A	Standard Dust Bag				
56383241	Steel wheel kit, converts American 8 & 12 machines with urethane wheels to steel wheels				
13500A	Drum for American 12				
51021A	Drum belt for American 12 Drum				
51028A	Fan belt for American 12 Drum				
13501A	Drum for American 8				
51024A	Drum belt for American 8 Drum				
50920A	Fan belt for American 8 Drum				
13507A	Drum for EZ-8				

ROTARY MACHINES

460215	16" Aluminum Backed Sanding Hard Plate w/2" Center Hole
30638A	17" Pad driver, tufted short-trim
AS003500	5" Foam Pad (HydraSand)
AS003400	5" Pad Driver (HydraSand)
AS026100	5" metal discs with hook backing for HydraSand
30725A	Dust skirt, RS-16DC & Epoch
10240A	Dust skirt, Sander 1600
MP505700	17" Dust adaptor for FM
MP505800	20" Dust adaptor for FM
10252A	Sander 1600 light assembly
50793A	Sander 1600 wheel
39857A	RS-16 wheel
30638A	Pad Driver
AS059000	Advanced Surfacing Brush
SA031600	HydraSand
\$4035400	HvdraSand-20

PARTS & ACCESSORIES

DUST CONTAINMENT

	Description
TMB428244	Filter Cartridge, AVAC 12
TMB428680	Filter Cartridge, HEPA for AVAC 12
TMB445841	Filter Cartridge, AVAC 12-P
TMB442337	Filter Cartridge, HEPA for AVAC 26
TMB225163	Reusable filter bags (3) for AVAC 26
TMB225161	Standard Accessory Kit - Tapered fittings, S wand, Felt floor tool, Horse Hair Bristle tool, Plastic extension wand, Crevice tool.
AS012100	1.5" Premium Wand and Tool kit; includes horsehair brush floor tool, felt floor tool, wand, metal crevice tool, dust tool, mesh accessory bag
AS012000	1.5" wand and tool kit; includes brush floor tool, specialty floor tool, 2-piece wand, crevice tool, dust tool, mesh accessory bag
1471385500	Dust Brush, 3 in (7.5 cm), 1.5 in. (38 mm) fitting
30647A	14" plastic floor brush tool
658821	15" bristle shod tool
638820	14" Felt Shod Tool - Aluminum
TMB439678	Microfiber wood floor tool
11597	1.5" (36mm) Hose Cuff
10330A	25 feet X 1.5 inch (36mm) crush proof vac hose w/swivel coupling
30563A	Adaptor 2" Tube x 1.50 Cuff
53718A	Dust pipe elbow to connect the FloorCrafter to vacuum hoses
52466A	Velcro hose/cord strap





EDGERS

53544C	Dust bag - CE7
53544B	Dust bag - Super 7R & B-2+
39875A	Multi purpose tool, CE7
987300	Wrench, Super 7R
68705A	Wrench, B-2+
64601A	Wrench holder, B-2+
39865A	Caster and yoke assembly w/non-marking wheels, CE7
30666A	Urethane wheel assembly for Super 7R & B-2+ (includes wheel, bearings, and yoke)
12203A	Caster assembly, B-2+
12208A	Caster assembly, Super 7R
10212A	Steel wheel & yoke assembly, Super 7R & B-2+
AS035800	Carrying case for Super 7R & B-2+
10827A	Dust pipe kit for Super 7R (includes exhaust bracket, dust tube, hose cuff, and quick release bag)
10828A	Dust pipe kit for B-2+ (includes exhaust bracket, dust tube hose cuff, & quick release bag)
21066A	Super 7R sanding drive pad
21067A	B-2 sanding drive pad
40583A	B-2+ carbon brush w/ wire
40900A	B-2+ carbon brush, no wire
40818A	Super 7R carbon brush w/ wire
300904	Super 7R carbon brush, no wire
50932A	Super 7R brush spring clip
47394A	Switch, Super 7R
62411A	Paper retaining bolt, B-2+
40920A	Light Bulb (Incandescent) Super 7R & B-2+
AS010200	Light Bulb (LED) Super 7R and B-2+
SA035200	EZ-E 8" Extension Kit
SA035300	EZ-E 13" Extension Kit

POWER ACCESSORIES

ı		
	40590A	Power Booster
	40590C*	Power Booster (Canada)
	MP524900	PowerLab 120
Į	MP524910*	PowerLab 120 (Canada)



Power Booster 40590A, 40590C*

Tool Kit 10332A FloorCrafter

it 2A cer

BELT MACHINES

AS045200	Dust Bag w/Check Valve, complete, Legend
AS045100	Dust Tube, Legend
AS050400	Drum belt for Legend
AS050500	Fan belt for Legend
AS055200	Drum for Legend
50992A	Urethane Truck Wheel for FloorCrafter, American 8, American 12
19611A	Urethane Castor Wheel for FloorCrafter
53718A	Dust pipe elbow to connect the FloorCrafter to vacuum hoses
10142A	Dust tube elbow for FloorCrafter
53560A	Leather Operator's Belt
50954A	Standard Dust Bag
30088A	Transport Base for FloorCrafter and American 8
20015A	Drum for FloorCrafter
51024A	Drum belt for FloorCrafter
51039A	Fan belt for FloorCrafter
10244A	Upper roller assembly for FloorCrafter
42200A	Cord Set - Hard Service, 50ft, FloorCrafter
42201A	Cord Set - Hard Service, 100ft, FloorCrafter
10332A	FloorCrafter Tool Kit
10392A	Transport Dolly - Floorcrafter
10237A	Transport Dolly - Hummel

ORBITAL MACHINES

53741A	Dust Bag for EZ8 & OBS-18
56380336	Dust Pipe Seal for OBS-18
18445A	Dust skirt for OBS-18
53544C	Dust bag, EZ-Sand
30685A	Dust skirt, EZ-Sand
18446A	Skirt asm., 3DS
56942A	Drive pads, 3DS
54931A	Lifting handle, 3DS
56382756	8" disc hook, box of 25, 3DS
50927A	Drive belt, 3DS



WOOD FLOOR SPECIALIST ON YOUR JOBSITE

Request a hands-on product demonstration by contacting your American Sanders Regional Sales Manager or online at americansanders.com/contact-us. We'll bring the machines and finishes to you.

WOOD FLOOR SPECIALISTS ON THE WEB

Your access to online training, live school registrations, product specifications and videos, and to purchase products is online at americansanders.com















American Sanders | 1 Eclipse Road, Sparta, NC 28675 800.367.3550 | +1 336.372.8080 www.americansanders.com

2022



