

# 


With a history that dates back to 1857, Kährs of Sweden is the oldest wood floor manufacturer in the world still in operation. For decades, Kährs has been a global leader with innovations that include the world's first patented engineered wood floor in 1941; the world's first water-based finishing system in 1984; and the first ISO 14001 environmental management certification in 1997.

Follow us on social media to learn more!

@KahrsFlooring\_US

Kährs - Americas

**G** @KahrsFlooring



# QUALITY IN WOOD SINCE 1857

Wood is the most eco-friendly, beautiful and versatile flooring material there is. Few materials can add as much warmth and atmosphere as wood. It softens the most minimalistic designs, while accentuating the mood of a more traditional interior. While trends may come and go, quality and true style never go out of fashion. That's why a wood floor from Kährs will always be the perfect choice.

#### SEASONS GREETINGS GAP FREE



When Kährs launched Woodloc® in 2000 – the first glue-free joint system in the world – it revolutionized the wood flooring industry. This ingenious joint system locks the boards together mechanically, creating a completely gap-free floor.



Compared to a traditional solid wood floor, our patented construction is 75% more stable. A Kährs floor resists warping, buckling and cracking, even as temperature and humidity change throughout the seasons. The construction creates a perfectly balanced wood floor that can tolerate even the most dramatic climate changes, making our wood floors the perfect partner for underfloor heating.



# THE EASIEST INSTALLATION

Kährs floors are easy to install thanks to the ingenious Woodloc® joint. The boards lock together mechanically, with virtually invisible joints, providing perfect results, fast! The superior fit also enhances the floor's performance and durability.



#### MORE THAN A BEAUTIFUL SURFACE

Whichever surface treatment you choose for your Kährs floor, you can be sure that it will both enhance and protect the natural beauty of the wood. All Kährs surface treatments are naturally free from solvents, formaldehyde and isocyanate. They also make the floor really easy to clean and maintain.



#### **ENDLESS DESIGN VARIATIONS**

Whatever the size of room or interior style, there's a Kährs floor that will enhance the space. Our wood floors come in many wood species, sizes, patterns and finishes.



#### SANDS LIKE A SOLID

The Kährs multi-layer construction uses hardwood down to the joint with fast-growing timber below. It can be refurbished in exactly the same way as a solid floor.



#### UNDERFLOOR HEATING

Kährs wood floors are ideally suited to underfloor heating. Please visit www.kahrs.com for detailed installation and operating instructions.



# LEED

LEADERSHIP IN ENERGY AND ENVIRONMENTAL DESIGN

LEED





It's in the detail that you'll see the level of skill and craftsmanship that goes into every product made by Kährs. Choose from a wide range of moldings and accessories that are designed to add the perfect finishing touch.



# DESIGNED WITH A CONSCIENCE

Choosing a wood floor is a great way of being environmentally responsible. By choosing a Kährs floor you are making a smarter, greener choice. Kährs is one of the oldest producers of wood flooring in the world – and the most innovative. During the last century, our many inventions have transformed the production of wood floors globally. Throughout this time we have continued to capture the beauty and expression of wood. We combine its natural character with cutting edge innovation to produce the highest quality wood flooring.

#### GREEN PRODUCT

The multi-layer wood floor that we invented in 1941 proved not only to be the best and most stable flooring on the market; it was also the most environmentally friendly construction. It optimizes the use of the raw material, is made from renewable resources, and is recyclable.





LESS RAW MATERIAL

Our multi-layered construction allows us to use the raw material more effectively, utilizing the whole log.



SOLVENT FREE

We constantly strive to find the most environmentally friendly, solvent-free stains and finishes. Also, our surfaces are easy to keep clean, without the need to use harsh chemicals.

#### GREEN PRODUCTION

Our production process is designed to have minimal impact on the environment. Over the years, Kährs has introduced a number of manufacturing and flooring innovations that have enabled a more responsible, green production. We work hard to reduce our impact on nature in terms of air quality, water discharge and noise control, to the benefit of our employees and neighbors.



# HEALTHY PRODUCTION HEALTHY FLOOR

In 1984, Kährs was the first wood flooring manufacturer to utilize a water-based finishing system to reduce emissions. Kährs meets European E1, EO and California Air Resources Board – Airborne Toxic Control Measure (CARB-ATCM) Phase 1 and 2 standards.



#### NOTHING IS WASTED

At our production plant in Nybro nothing goes to waste. The portion of the logs that we're not able to use for floor production are turned into biofuel. Some of this fuel is used to heat our own facilities. The rest goes to a local energy company. About 45,000 people in our neighborhood enjoy the warmth of our recycled wood.

#### A GREEN MINDSET

Environmental, Social, and Governance (ESG) and Corporate Social Responsibility (CSR) matters impact the communities where Kährs operates. We have made a public commitment to incorporate these ethical principles into the way we behave locally and globally.

Our commitment to the environment starts with the selection of the best raw material. This is achieved with the support of our 3000+ timber suppliers who share in our commitments.



#### PLANTING AHEAD

Kährs is working with local, national and global organizations to ensure the forest stock is sustainable for generations to come. In Sweden, the total forest volume is 60% larger today than it was in the 1920's. Kährs is working with leading global programs, reforestation programs and leading environmental groups to support globally responsible forestry.

# ENVIRONMENTAL STANDARDS

Since the 1990's, Kährs' operations have been environmentally and quality certified. Many of Kährs' products contribute to LEED (Leadership in Energy and Environmental Design) points on construction projects.









We have identified three major challenges that are highly relevant to our business:



1. Climate Change



2. Resource Scarcity



3. Equality

As a response to these challenges impacting Kährs' business, we have identified three corresponding focus areas to help us fulfill Kährs sustainability vision:







Responsible **Business** 







#### **OUR COMMITMENTS**

- · Reducing climate footprint
- · Net Zero Footprint by 2040
- Transforming into a circular business
- · Regenerating resources & supporting biodiversity

#### **OUR COMMITMENTS**

- · Creating a portfolio with sustainable floors
- Promoting sustainable consumption

#### **OUR COMMITMENTS**

- · Becoming a sustainable business across all stakeholders
- · Diversity and Inclusion Plan
- · Offering transparent information on our products

READ MORE AT WWW.KAHRS.COM



MORE ABOUT OUR WOOD FLOORS

- 100% of our wood floors produced in Nybro are climate positive.
- **200** of our wood floors have the Nordic Swan Ecolabel, the most respected and rigorous green label in the Nordics.
- 140,000 tons of CO2 is yearly stored in installed wood floors from Kährs. This is equal to the amount of CO2 that 15.500 people consume every year.
- **95%** of all the energy we are using in production is renewable.
- **EPDs** are available for the majority of our wood product portfolio.


Kährs commits to calculate emissions according to an international recognized standard (SBT) and align with the Paris agreement to limit global warming by 1.5°C.



SCIENCE **BASED TARGETS** 

Kährs is the 2nd flooring company to commit to Science Based Targets.





**Climate Neutral Operations** 

2030

**NET ZERO:** Climate Neutral 2040 across Value Chain

MORE ABOUT OUR RESILIENT FLOORS

- 100% renewable energy used at our production site in Finland
- **850 tons** of carbon footprint reduction thanks to renewable energy use
- EPDs/HPDs available for all products
- First PVC-free homogeneous sheet created by Upofloor (now Kährs) in 2014.

**DID YOU KNOW?** WOOD IS A RENEWABLE **RESOURCE & STORES** CARBON DIOXIDE.

Our overarching vision to how we approach business. This vision includes regard for the climate, greenhouse gas emissions, ethics, justice, & human rights.

<sup>1</sup>As of November 2021 <sup>2</sup>Read more at sciencebasedtargets.org

# OUR PORTFOLIO

Today, Kährs wood and LVT floors can be seen in residential and commercial interiors all over the world. Fun fact: there is over 500 million square feet of Woodloc® flooring installed globally!









# KÄHRS FLOOR PLANNER


Selecting a floor is one of the most important decisions in terms of interior design. To help consumers and architects in their buying decision, we've launched the new Kährs Floor Planner, a digital webbased room visualizer tool with state-of-the-art AI technology.


# WHAT'S NEW IN THE UPDATED TOOL

- AUTOMATIC FLOOR DETECTION FOR IMAGE UPLOADS
  State-of-the-art AI technology automatically detects the floor in uploaded images, making the visualization experience quick and user-friendly for everyone.
- ENHANCED MOBILE EXPERIENCE: VISUALIZE ON THE GO!

  Pull up the Floor Planner on your mobile device, choose "upload image," and take a picture directly on your phone.
- EASY DOWNLOAD FEATURE
  With one click, download your final image from the Floor Planner.









The **U.S. Green Building Council's LEED® green building program** is the preeminent program for the design, construction, maintenance and operations of high performance green buildings. Learn more at usgbc.org/LEED. Many of Kährs products contribute to **LEED** (**Leadership in Energy and Environmental Design) points** on construction projects. Please contact your local Kährs representative for the latest LEED information or visit www.kahrs.com.

#### KÄHRS WOOD AND LT PRODUCTS - POTENTIAL LEED CONTRIBUTION

#### LEED v4

Building Design and Construction

#### MR | Building Product Disclosure: Environmental Product Declarations

EPD available for wood floors produced in Nybro, Sweden (Tres, Founders, Classic Nouveau, Beyond Retro, Texture, Lux, Capital, Harmony, Sand, European Renaissance, American Naturals, European Naturals, Scandinavian Naturals, World, Småland), EPD available for wood floors produced in Satalung, Romania (Ground Collection), EEPDs available for Click, Dry Back, and Loose Lay Luxury Tiles floors

#### MR | Building Product Disclosure and Optimization: Sourcing of Raw Material

Third-party verified corporate sustainability reports (CSR), which include environmental impacts of extraction operations and activities associated with the manufacturer's product and the product's supply chain, are valued as one whole product for credit achievement calculation.

FSC® certified products are available on demand via special request, subject to material availability.

This credit contains two options, with the second focused on "leadership extraction practices." To receive the credit, a project must use "at least 25%, by cost, of the total value of permanently installed building products." For wood products, the credit requires products "certified by the Forest Stewardship Council® or USGBC-approved equivalent."

#### Building Product Disclosure: Material Ingredients

FloorScore® Certification: Kährs Avanti, Kährs Canvas, Kährs Life, Kährs Original, Kährs Aware, Kährs LT Dry Back, Kährs LT Loose Lay, Kährs LT Click, Kährs QuietStride 2.0

#### IEQ | Low-Emitting Materials

Flooring - At least 90% of all flooring, by cost or surface area, must meet the VOC emissions evaluation or inherently non-emitting sources criteria.

Eco+ Underlayment – UL GreenGuard GOLD Certified

FloorScore® certified flooring products contribute to Low Emitting Material credits under the LEED v4 rating systems and other systems such as WELL, BREEAM, Green Globes, Collaborative for High Performance Schools (CHPS), California Section 01350, and other sustainable building requirements. Floors holding the FloorScore® logo are certified as contributing to indoor air quality. See above "Building Product Disclosure: Material Ingredients" section for Kährs products that hold a FloorScore® certification.







# KÄHRS FLOORING GUIDE

Kährs offers a wide range of products with different finishes to meet the most diverse needs. All Kährs finishes are created by nature, engineered with the latest technology and produced with great respect for the environment.

## SURFACE TREATMENT



HIGH GLOSS FINISH SILK MATTE FINISH

The high gloss finish gives Our silk matte finish your floor a shiny, polished complements the wood's look that enhances the character by emphasizing beauty of the wood species you have chosen. the floor durable and easy High Gloss finish is durable to clean, without concealing tactile and pleasing the woods natural luster. and easy to maintain.



MATTE FINISH

Our matte finish creates the Kährs oil finish reinforces impression that the floor is the natural look and is made from untreated bare its natural structure. Making wood. The soft to touch underfoot. Matte finish is durable and easy

to maintain.



NATURE OIL

incredibly tactile. The oil brings out the fine structure timber. This innovative natural surface is incredibly and grain of the timber yet adds depth to the natural wood tone. Kährs floors treated with oil are easy to maintain.



**ULTRA MATTE FINISH** 

Our ultra matte finish gives the look and feel of untreated, newly sawn surface treatment is non-reflective, effectively enhancing the color of the floor while giving it a smooth, yet strong shield against wear and tear.

## DESIGN FEATURES



STAINED/SMOKED

Stains are used to further enhance the natural color tones of the wood – from the palest white and whisper greys to shades of rich mocha and charcoal. Some designs have also been smoked to enhance the color of the design.



#### **BRUSHED**

Brushing the surface highlights the Handscraping adds to the natural structure of the grain and accentuates the texture. Brushing is usually accompanied by other surface treatments, such as a beveled finish and a color stain or glaze.



#### HANDSCRAPED

texture of a floor for a somewhat distressed and worn appearance typical of very rustic designs.



#### **BEVELED EDGES**

Beveled edges add a touch of drama to a floor. Beveled styles vary from a micro-bevel - a slight accentuation of the edge using sandpaper - to a more dramatic, stronger bevel. In each style both long and short edges are beveled.

## GRADING

Our grading system has been designed to make the product selection process easier and more visually driven through the introduction of five clearly distinguishable grades. Users will now be able to narrow down their product selection by grade to achieve a specific interior design theme.



#### CALM

Minimalistic, clean and calm. The Calm grade floors are produced from feature planks with a uniform appearance with small variation in grain and small knots. tone. They may contain small knots.

#### VARIATION

Subtle character with variation. The Variation grade floors are our cleanest boards. They characterized by subtle variation in color, tone and pattern. They may contain

#### LIVELY

Lively and rustic character. Lively grade floors feature dramatic graining, gnarls and knots. They boast greater color variation and have a more lively and rustic character.

#### DYNAMIC

character. Dynamic grade floors are made from boards with knots and cracks that give them a lively and dramatic, yet warm, character. They feature a broad variety of color tones.

#### **EXPRESSIVE**

Dynamic, warm and rustic Bold and expressive statement. The Expressive grade floors are made from boards with dramatic cracks and powerful knots which also feature a wide variety of color tones.

## DESIGN



#### PLANK DESIGN

The surface of a 1-strip board is sawn in one piece. This emphasizes two strips wide. The strips are the natural beauty and accentuates individually selected and arranged every detail, from variations in color to give the floor its own unique and grain, to individual knots.



#### 2-STRIP DESIGN

The wear layer of this design is character which complements all room styles.



#### 3-STRIP DESIGN

With a wear layer that's 3-strips wide, these floors offer endless decorating opportunities and look particularly stunning in smaller spaces. Creating a linear effect, a 3-strip floor gives the illusion of a larger, more open space.



PATTERNED DESIGNS

Dutch Pattern Chevron

Combining traditional looks with modern styling.

#### EASY TO LOVE, HARD TO DAMAGE

The Kährs Life collection bridges the gap between high quality wood flooring and functional vinyl flooring. With a real wood veneer, stable HDF core, and a commercial finish, these floors are beautiful, functional, and made for everyday life.

# Kährs **Life**

#### A FINE COLLECTION OF FLOORING

With world renowned quality and flexibility, Kährs Avanti presents our most popular wood species and gradings paired with popular colors and styles.

# Kährs **Avanti**

#### THE FOUNDATION OF QUALITY

The Kährs Original range has grown into our largest and most popular line of wood floors. Available in a wide variety of wood species and finishes – and inspired by our Scandinavian roots – every floor is a true classic.

# Kährs **Original**

#### SUPREME QUALITY AND CRAFTSMANSHIP

Using time-honored skills, Kährs combines unrivaled handmade craftsmanship, outstanding design, and the latest production and surface techniques to create floors of distinction. Floors in this collection come to life in an array of designs and finishes, all united by striking, exclusive looks and absolute attention to detail.

# Kährs **Supreme**

#### PVC-FREE, DURABLE FLOORING

The Aware Collection is a bio-based, natural, hybrid floor designed to withstand family-life and the wear and tear of commercial applications, all while offering the style, beauty, and feel of a wood floor.

# **NEW** Kährs **Aware**

#### DESIGNED TO LAST

Kährs Luxury Tiles are floors designed for everyday life. They offer the beautiful and natural appearance of wood and stone, while providing all the benefits, resilience, and easy maintenance of modern flooring technology.

# Kährs **Luxury Tiles**

Stone Look


Impression 6mm Click

Kährs <b>Life</b>			
Wide Plank	Life Collection		71 1/4" x 5 7/8" x 1/4"
Narrow Plank	Life Collection		48 1/4" x 4 5/8" x 1/4"
2-Strip	Life Collection		48 1/4" x 7 5/8" x 1/4"
Kährs <b>Ava</b>	anti		
1 - Strip	Canvas Collection		73 1/4" x 5" x 1/2"
3 - Strip	Ground Collection		89 1/4" x 7 3/8" x 1/2"
3 - Strip	Tres Collection		95 3/8" x 7 7/8" x 1/2"
Kährs <b>Ori</b>	ginal		
Pattern	European Renaissance Collection		95 1/2" x 7 7/8" x 5/8"
3 - Strip	Beyond Retro, Scandinavian Naturals, European Naturals, American Naturals, Harmony, World Collections		95 3/8" x 7 7/8" x 5/8"
2 - Strip	European Naturals, Harmony, Sand Collections		95 3/8" x 7 7/8" x 5/8"
1 - Strip	Scandinavian Naturals		95 3/8" x 7 7/8" x 5/8"
1 - Strip	Scandinavian Naturals, Classic Nouveau, Founders, Lux, Texture, Capital Collections		95 1/4" x 7 3/8" x 5/8" Lux 6": 95 1/4" x 6" x 5/8"
1 - Strip	Classic Nouveau, Lux, Capital Collections		89 1/4" x 7 3/8" x 5/8" Lux 6": 89 1/4" x 6" x 5/8"
1 - Strip	Classic Nouveau, Lux, Capital, Beyond Retro Collections		78 3/4" x 7 3/8" x 5/8" Lux 6": 78 3/4" x 6" x 5/8"
Kährs <b>Su</b> r	oreme		
1 - Strip	Småland Collection		95 1/4" x 7 3/8" x 5/8"
	are PVC-Free Hybrid Flo	ooring	
Wood Design	Aware Collection		71 1/2" x 7 7/8" x 3/8"
Kährs Lux	cury Tiles - 5mm Click		
Wood Look	5mm Click		47 5/8" x 6 3/4" x 5mm
Stone Look	5mm Click		23 5/8" x 11 3/4" x 5mm
Kährs Lux	cury Tiles - Impression (	Collection (6mm Click)	
Wood Look	Impression 6mm Click		72" x 8 5/8" x 6mm

36" x 18" x 6mm

## BOARD REFERENCE GUIDE

A benefit of Kährs hardwood floors is our long board lengths. The average height of a person in the U.S. is 5 foot 9 inches; most products, when stood on end, would be taller than the average person.



## **HOW TO USE THIS BINDER**

- 1. To navigate this book, use the chart below arranged by range and thickness, or the Table of Contents to the right. If you'd like to find a product based on color, on the next pages you are given a view of the Kährs products arranged by color range.
- 2. To view information about a product, turn to the page indicated. On the product page, you will be able to see larger photos of the sample, interior photos, profile construction, board reference, and shipping specifications.
- 3. To order a sample, visit <a href="https://www.kahrs.com/en-us/order-samples/">https://www.kahrs.com/en-us/order-samples/</a>.

THICKNESS	RANGE	COLLECTION
<b>1/4"</b> (7mm)	Kährs <b>Life</b>	Kährs Life Collection 1
<b>1/2"</b> (13mm)	Kährs <b>Avanti</b>	<ul> <li>Tres Collection</li> <li>NEW Ground Collection</li> <li>Canvas Collection</li> <li>57</li> </ul>
<b>5/8"</b> (15mm)	Kährs <b>Original</b>	<ul> <li>Founders Collection</li> <li>Classic Nouveau Collection</li> <li>NEW Beyond Retro Collection</li> <li>Texture Collection</li> <li>Lux Collection</li> <li>Capital Collection</li> <li>Harmony Collection</li> <li>Sand Collection</li> <li>European Renaissance Collection</li> <li>American Naturals Collection</li> <li>European Renaissance Collection</li> <li>Scandinavian Naturals Collection</li> <li>World Collection</li> <li>Småland Collection</li> </ul>
<b>1/4"</b> (7mm)	Kährs <b>Supreme</b> Kährs <b>Aware</b>	• NEW PVC-Free Aware Collection 277
<b>3/16"</b> (5mm)	Kährs <b>Luxury Tiles</b>	<ul> <li>Click 5mm Wood Look 297</li> <li>Click 5mm Stone Look 325</li> </ul>
<b>1/4"</b> (6mm)		<ul> <li>Click 6mm Impression Wood Look 333</li> <li>Click 6mm Impression Stone Look 353</li> </ul>

LIFE COLLECTION	TEXTURE COLLECTION	WOOD ACCESSORIES
Coconut Cream	Texture Grau139	Moldings & Transitions
Light Suede3	Texture Natur141	Cleaning Supplies & Olls27
Pure Oak	Texture Rohoptic	Underlayments27
Whole Grain	Texture Weiss145	
Driftwood	remare reasonment is	NEW AWARE COLLECTION
Earl Grey	LUX COLLECTION   6" WIDE	Kappadokien27
Butterscotch	Oak Ghost	Bwindi
Faded Black	Oak Eggshell	Grand Canyon
Pure Walnut	Oak Biscotti	Yosemite
Cocoa Bean19	Oak Crayon	Serengeti
		Yellowstone
TRES COLLECTION	LUX COLLECTION   SPECIAL ORDER	Rocky
Oak Supai	Ash Flow	Smoky
Oak Bisbee	Oak Aurora	Jasper
Oak Pima29	Oak Coast	
Oak Lecco	Oak Horizon	KÄHRS LUXURY TILES CLICK 5MM
Red Oak Nature	Oak Rise169	WOOD LOOK
Ash Ceriale	Oak Shore	Whinfell
Ash Vaila	Oak Sky	Wentwood
European Maple Gotha39	Oak Sun	Redwood
'	Oak Terra	Yukon
<b>NEW</b> GROUND COLLECTION	Ash Stream	Schwarzwald30
Oak Clay		Saxon
Oak Chalk	CAPITAL COLLECTION   SPECIAL ORDER	Oulanka
Oak Sand	Oak Berlin	Belluno
Oak Seed51	Oak Dublin	Kannur
	Oak Paris	Niagara
Ash Coral53		INIdgald
CANDAG COLLECTION	Oak Prague	Taiga
CANVAS COLLECTION		Sarek
Oak Curio	HARMONY COLLECTION	
Oak Tuft61	Oak Creme	KÄHRS LUXURY TILES CLICK 5MM
Oak Etch	Oak Granite199	STONE LOOK
Oak Tapa	Oak Cirrus	Matterhorn
Oak Carbon	Oak Lava	Steele
Oak Morel (Special Order)	Oak Alloy	Makalu
Oak Reiter	Oak Pale	Schwarzhorn33
Oak Muse	Oak Limestone	
Oak Cadence		KÄHRS LUXURY TILES CLICK 6MM
Oak Mostra77	SAND COLLECTION	IMPRESSION WOOD LOOK
Oak Fawn	Oak Portofino	Dovecot
Oak Henna		Spreewald
Oak Heather	EUROPEAN RENAISSANCE COLLECTION	Balmoral
out reduce	Oak Palazzo Fumo	Foxall
FOUNDERS COLLECTION	Oak Palazzo Rovere	Saham
	Oak Palazzo Bianco	Kelham
Oak Gustaf	Oak Palazzo Biaricozz i	Neillaill
Oak Sture	AMERICANI NIATURALE COLLECTIONI	Odenwald
Oak Fredrik	AMERICAN NATURALS COLLECTION	Laponia
Oak Ulf95	Hard Maple Toronto	
	Cherry Savannah	KÄHRS LUXURY TILES CLICK 6MM
CLASSIC NOUVEAU COLLECTION	Walnut Montreal231	IMPRESSION STONE LOOK
Oak Nouveau Gray101		Ultar
Oak Nouveau Black	EUROPEAN NATURALS COLLECTION	Talung35
Oak Nouveau Blonde	Oak Siena	Athos
Oak Nouveau Greige107	Oak Verona235	Olympus
Oak Nouveau Lace109		Amaro
Oak Nouveau Snow111	SCANDINAVIAN NATURALS COLLECTION	Aneto
Oak Nouveau Taupe	Ash Gotland	Grossglockner
Oak Nouveau Whisper	Beech Viborg239	Kilimanjaro
Oak Nouveau White117	Ü	,
	WORLD COLLECTION	KÄHRS LT ACCESSORIES
<b>NEW</b> BEYOND RETRO COLLECTION	Brazilian Cherry La Paz241	LT Moldings & Transitions
Pearl Grey		
Loft White	SMÅLAND COLLECTION	
Urban Brown	Oak Vista	
Charcoal Light	Oak Aspeland	
Frosted Oat	Oak Möre	
Frozen Hazelnut133	Oak Vedbo	
	Oak Finnveden	
	Oak Ydre	
	Oak Tveta	

 Oak Sevede
 .261

 Oak Handbörd
 .263

 Oak Klinta
 .265










## KÄHRS LIFE COLLECTION

The Life Collection features a range of wide plank, narrow plank, and 2-strip floors, in trendy colors ranging from light to dark. Made for everything from home installs to commercial use, these floors provide the best of both worlds: a beautiful hardwood floor with properties close to LVT - all at a cost-conscious price point.

















#### COCONUT CREAM

Wide Plank: LTCLRW3001-150 Narrow Plank: LTCLRW3001-118 \*2-Strip: LTCLRW3001-193

# Design: Wide Plank, Narrow Plank, & Strip OptionsFeatures: Oak; Stained; Micro Beveled Edges on Plank

Designs; Square Edges on 2-Strip Designs

Surface Commercial Grade Matte Finish (UV-Cured Acrylic)

**Wear Layer:** Approx. 0.6mm

**Grading:** Calm


Joint: Woodloc® 5G

**Guarantee:** 15 Year Residential

5 Year Commercial


**Installation:** Float, Glue-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28

\*Special Order





www.kahrs.com







**Design:** Wide Plank, Narrow Plank, & Strip Options Oak; Stained; Micro Beveled Edges on Plank Designs; Square Edges on 2-Strip Designs Features:

Commercial Grade Matte Finish Surface (UV-Cured Acrylic)

Wear Layer: Approx. 0.6mm

Calm **Grading:** 

Treatment:

Woodloc® 5G Joint:


15 Year Residential **Guarantee:** 5 Year Commercial

**Installation:** Float, Glue-down


This product may be floated over radiant heat.



Wide Plank: LTCLRW3002-150 \*Narrow Plank: LTCLRW3002-118 \*2-Strip: LTCLRW3002-193



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. *Narrow Plan	k 48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28











**Design:** Wide Plank, Narrow Plank, & Strip Options **Features:** Oak; Micro Beveled Edges on Plank Designs;

Oak; Micro Beveled Edges on Plank Designs; Square Edges on 2-Strip Designs

**Surface** Commercial Grade Matte Finish

**Treatment:** (UV-Cured Acrylic)

**Wear Layer:** Approx. 0.6mm

**Grading:** Calm


Joint: Woodloc® 5G

**Guarantee:** 15 Year Residential

5 Year Commercial

**Installation:** Float, Glue-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28

\*Special Order

**PURE OAK** 

Wide Plank: LTCLRW3003-150

\*2-Strip: LTCLRW3003-193

Narrow Plank: LTCLRW3003-118





www.kahrs.com







#### WHOLE GRAIN

Wide Plank: LTCLRW3004-150 Narrow Plank: LTCLRW3004-118 \*2-Strip: LTCLRW3004-193

#### Wide Plank, Narrow Plank, & Strip Options Design:

Oak; Stained; Micro Beveled Edges on Plank Designs; Square Edges on 2-Strip Features:

Surface Commercial Grade Matte Finish

(UV-Cured Acrylic) Treatment:

Approx. 0.6mm Wear Layer:


> **Grading:** Calm

> > Woodloc® 5G Joint:

15 Year Residential **Guarantee:** 5 Year Commercial


**Installation:** Float, Glue-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28

\*Special Order





www.kahrs.com







DRIFTWOOD

Wide Plank: LTCLRW3005-150 Narrow Plank: LTCLRW3005-118 \*2-Strip: LTCLRW3005-193

Design: Wide Plank, Narrow Plank, & Strip OptionsFeatures: Oak; Stained; Micro Beveled Edges on Plank

Designs;

**Surface** Commercial Grade Matte Finish

**Treatment:** (UV-Cured Acrylic)

Wear Layer: Approx. 0.6mm

**Grading:** Calm


Joint: Woodloc® 5G

**Guarantee:** 15 Year Residential

5 Year Commercial


**Installation:** Float, Glue-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28

\*Special Order





www.kahrs.com







**Design:** Wide Plank, Narrow Plank, & Strip Options **eatures:** Oak; Stained; Micro Beveled Edges on Plank
 Designs; Square Edges on Strip Designs

Commercial Grade Matte Finish

Surface Commercial Grade M
Treatment: (UV-Cured Acrylic)

**Wear Layer:** Approx. 0.6mm

**Grading:** Calm

Joint: Woodloc® 5G


**Guarantee:** 15 Year Residential 5 Year Commercial

**Installation:** Float, Glue-down

This product may be floated over radiant heat.




Wide Plank: LTCLRW3006-150
\*Narrow Plank: LTCLRW3006-118
\*2-Strip: LTCLRW3006-193



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. *Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lhs	60	28

\*Special Order





www.kahrs.com







#### BUTTERSCOTCH

Wide Plank: LTCLRW3007-150
\*Narrow Plank: LTCLRW3007-118
\*2-Strip: LTCLRW3007-193

Design: Wide Plank, Narrow Plank, & Strip OptionsFeatures: Oak; Stained; Micro Beveled Edges on Plank

Designs; Square Edges on 2-Strip Designs

Surface Commercial Grade Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 0.6mm

**Grading:** Calm


Joint: Woodloc® 5G

**Guarantee:** 15 Year Residential


5 Year Commercial

**Installation:** Float, Glue-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. *Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28











#### FADED BLACK

Wide Plank: LTCLRW3008-150
\*Narrow Plank: LTCLRW3008-118
\*2-Strip: LTCLRW3008-193



Designs

**Surface** Commercial Grade Matte Finish

**Treatment:** (UV-Cured Acrylic) **Wear Layer:** Approx. 0.6mm

**Grading:** Calm


Joint: Woodloc® 5G

**Guarantee:** 15 Year Residential

5 Year Commercial

**Installation:** Float, Glue-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. *Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28











#### PURE WALNUT

Wide Plank: LTCLRW3010-150

\*2-Strip: LTCLRW3010-193

Narrow Plank: LTCLRW3010-118

Design:Wide Plank, Narrow Plank, & Strip OptionsFeatures:Walnut; Micro Beveled Edges on Plank Designs

Surface Commercial Grade Matte Finish

**Treatment:** (UV-Cured Acrylic)

**Wear Layer:** Approx. 0.6mm


**Grading:** Calm

Joint: Woodloc® 5G


**Guarantee:** 15 Year Residential 5 Year Commercial


Installation: Float, Glue-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28











#### COCOA BEAN

Wide Plank: LTCLRW3011-150
\*Narrow Plank: LTCLRW3011-118
\*2-Strip: LTCLRW3011-193

Design: Wide Plank, Narrow Plank, & Strip Options

Features: Oak; Stained; Micro Beveled Edges on Plank
Designs; Square Edges on 2-Strip Designs

Commercial Grade Matte Finish

**Treatment:** (UV-Cured Acrylic)

**Wear Layer:** Approx. 0.6mm

**Grading:** Calm

Surface


Joint: Woodloc® 5G

**Guarantee:** 15 Year Residential

5 Year Commercial

**Installation:** Float, Glue-down

This product may be floated over radiant heat.




	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. *Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28











A traditional strip look with superior Kährs quality, in a myriad of colors, with both Oak and Ash options.





Features:

#### OAK SUPAI

**Design:** 3-Strip

European Oak, Stained, Square Edge, Smooth

**Surface Treatment:** Silk Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 2.5mm

> > **Grading:** Variation

> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down


This product may be floated over radiant heat.

OF 2/9#	7 7/0"	1 / 2 "	7	26 E00ft?	E 41bc	FO	16
Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.



Surface layer consists of sawn strips. Solid pine fingers. Bottom layer of Spruce veneer.

133NABEK5LUW 0





#### OAK BISBEE

133NABEK5MUW 0

**Design:** 3-Strip

**Features:** European Oak, Stained, Square Edge, Smooth

**Surface Treatment:** Silk Matte Finish (UV-Cured Acrylic)

**Wear Layer:** Approx. 2.5mm

**Grading:** Variation


Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16







Features:

OAK PIMA

133NABEK7CUW 0

**Design:** 3-Strip

European Oak, Stained, Square Edges, Smooth

**Surface Treatment:** Gloss Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 2.5mm

> > **Grading:** Variation


> > > Woodloc® 5G Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16



Surface layer consists of sawn strips.

Solid pine fingers.

Bottom layer of Spruce veneer.





#### **OAK LECCO**

133NABEK50KW 0

**Design:** 3-Strip

European Oak, Square Edges, Smooth Features:

Silk Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Wear Layer: Approx. 2.5mm

> > **Grading:** Variation


> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16



Surface layer consists of sawn strips.

Solid pine fingers.

Bottom layer of Spruce veneer.





#### RED OAK NATURE

**Design:** 3-Strip

**Features:** Red Oak, Square Edges, Smooth

**Surface Treatment:** Silk Matte Finish (UV-Cured Acrylic)

**Wear Layer:** Approx. 2.5mm

**Grading:** Variation


Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16



Surface layer consists of sawn strips.

Solid pine fingers.

Bottom layer of Spruce veneer.





#### **ASH CERIALE**

133NACAK1VKW 0

**Design:** 3-Strip

Scandinavian Ash, Stained, Square Edges, Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Wear Layer: Approx. 2.5mm

> > **Grading:** Variation


> > > Woodloc® 5G Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Inickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16	



Surface layer consists of sawn strips.

Solid pine fingers.

Bottom layer of Spruce veneer.



www.kahrs.com

CLICK TO RETURN TO TABLE OF CONTENTS



Features:

#### TRES COLLECTION **ASH VAILA**

**Design:** 3-Strip

Scandinavian Ash, Square Edges, Smooth

**Surface Treatment:** Silk Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 2.5mm

> > **Grading:** Variation


> > > Woodloc® 5G Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down


This product may be floated over radiant heat.



133NACAK50KW 0

 Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16







#### **EUROPEAN MAPLE GOTHA**

133N18EL50KW 0

**Design:** 3-Strip

European Maple, Square Edges, Smooth Features:

**Surface Treatment:** Silk Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 2.5mm


> > **Grading:** Variation

> > > Woodloc® 5G Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16



Surface layer consists of sawn strips.

Solid pine fingers.

Bottom layer of Spruce veneer.




www.kahrs.com





## GROUND COLLECTION

A collection of 3-strip floors based on timeless, natural, soft colors, inviting nature indoors.





www.kahrs.com

#### OAK CLAY

133B14EKHGKW226

**Design:** 3-Strip

**Features:** European Oak, Stained, Square Edge, Smooth

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

**Wear Layer:** Approx. 2.6mm

**Grading:** Variation


Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



 Length	Width	Thickness I	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
89 1/4"	7 3/8"	1/2"	8	36.71ft <sup>2</sup>	54lbs	35	22







#### OAK CHALK

133B14EKLCKW226

**Design:** 3-Strip

**Features:** European Oak, Stained, Square Edge, Smooth

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

**Wear Layer:** Approx. 2.6mm

**Grading:** Variation


Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural

25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.




Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
89 1/4"	7 3/8"	1/2"	8	36.71ft <sup>2</sup>	54lbs	35	22	



Surface layer consists of sawn strips.

Solid pine fingers.

Bottom layer of Spruce veneer.





#### OAK SAND

**Design:** 3-Strip

**Features:** European Oak, Stained, Square Edge, Smooth

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

**Wear Layer:** Approx. 2.6mm

**Grading:** Lively


Joint: Woodloc® 5G

Guarantee: Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Ctn/Pallet

Weight

89 1/4"	7 3/8"	1/2"	8	36.71ft²	54lbs	35	22
anematic property	Section Consultan	加油等級語場的	SAMUDEN AND	inht/2015年至1993			

Thickness Boards/Ctn Area



Surface layer consists of sawn strips.

Length

Solid pine fingers.

Bottom layer of Spruce veneer.

Pallets/Cont.





#### OAK SEED

133B14EKHNKW226

**Design:** 3-Strip

European Oak, Stained, Square Edge, Smooth Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 2.6mm Wear Layer:

> > **Grading:** Variation


> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
89 1/4"	7 3/8"	1/2"	8	36.71ft <sup>2</sup>	54lbs	35	22



Surface layer consists of sawn strips.

Solid pine fingers.

Bottom layer of Spruce veneer.



www.kahrs.com



Length

89 1/4"

#### **ASH CORAL**

133B11AKLCKW226

**Design:** 3-Strip

**Features:** Ash, Stained, Square Edge, Smooth

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 2.6mm

> > **Grading:** Lively

> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 

7 3/8"

25 Year Wear Through

1/2"

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant he

uctural ar Through down, Nail-down d over radiant heat.					
Thickness Boa	ards/Ctn Area	Weight	Ctn/Pallet	Pallets/Cont.	

35

54lbs

STERRISH STATE STATE OF STATE	MAKANES E E E E E E E E E E E E E E E E E E	
	1	

36.71ft<sup>2</sup>

3-Layer Construction:

Surface layer consists of sawn strips.

Solid pine fingers.


Bottom layer of Spruce veneer.

22




www.kahrs.com





An animated array of on-trend colors that add and enhance any designer's artistic palette.





#### OAK CURIO

13106AEKA1KW185

Design: Plank

**Features:** Oak, Stained, Micro Beveled Edges, Brushed

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

**Wear Layer:** Approx. 3mm

**Grading:** Lively


Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank. Solid pine fingers.

Bottom layer of Spruce veneer.





#### OAK TUFT

**Design:** Plank

**Features:** Oak, Stained, Micro Beveled Edges, Brushed

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm
Grading: Variation


Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.




Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank. Solid pine fingers.

Bottom layer of Spruce veneer.

13106AEK1BKW185





#### **OAK ETCH**

13106AEK15KW185

**Design:** Plank

Rustic Oak, Stained, Micro Beveled Edges, Brushed Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Wear Layer: Approx. 3mm

> > Lively **Grading:**


> > > Woodloc® 5G Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24





Bottom layer of Spruce veneer.



www.kahrs.com



#### CANVAS COLLECTION OAK TAPA

**Design:** Plank

Oak, Micro Beveled Edges, Smooth Features:

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 3mm

> > **Grading:** Calm


> > > Woodloc® 5G Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.




Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank.

Solid pine fingers.

Bottom layer of Spruce veneer.





#### OAK CARBON

13106AEK1RKW185

**Design:** Plank

**Features:** Oak, Stained, Micro Beveled Edges, Brushed

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

**Wear Layer:** Approx. 3mm

**Grading:** Lively


Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank. Solid pine fingers.

Bottom layer of Spruce veneer.



www.kahrs.com



# OAK MOREL | SPECIAL ORDER

13103AEK1IKW185

**Design:** Plank

**Features:** Oak, Stained, Micro Beveled Edges, Brushed

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm
Grading: Variation


Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24







73 1/4"

#### OAK REITER

13103AEK1UKW185

24

**Design:** Plank

**Features:** Oak, Stained, Micro Beveled Edges, Brushed

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm
Grading: Variation

Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural 25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.

1/2"



17.782ft<sup>2</sup>

28lbs

63





www.kahrs.com



#### OAK MUSE

**Design:** Plank Oak, Stained, Micro Beveled Edges, Brushed Features:

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)


> Wear Layer: Approx. 3mm **Grading:** Variation

> > Woodloc® 5G Joint:

**Guarantee:** Lifetime Structural 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank.

Solid pine fingers.

Bottom layer of Spruce veneer.



www.kahrs.com



Length

#### OAK CADENCE

Design: Plank

**Features:** Oak, Stained, Micro Beveled Edges, Brushed

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

**Wear Layer:** Approx. 3mm

**Grading:** Variation

Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural 25 Year Wear Through

Width

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



				9				
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24	



Surface layer: sawn plank.

Solid pine fingers.

Bottom layer of Spruce veneer.

13103AEK1PKW185





#### OAK MOSTRA

13106AEK1VKW185

**Design:** Plank

Oak, Stained, Micro Beveled Edges, Brushed Features:

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 3mm

> > **Grading:** Lively


> > > Woodloc® 5G Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through


**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17 782ft²	28lhs	63	24





Bottom layer of Spruce veneer.



www.kahrs.com



**Grading:** 

#### OAK FAWN

13103AEK1KKW185

Design:PlankFeatures:Oak, Stained, Micro Beveled Edges, Brushed

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

Variation


**Wear Layer:** Approx. 3mm

Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank. Solid pine fingers. Bottom layer of Spruce veneer.



www.kahrs.com



#### OAK HENNA

13106AEK1NKW185

**Design:** Plank

Oak, Stained, Micro Beveled Edges, Brushed Features:

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 3mm

> > **Grading:** Lively


> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank. Solid pine fingers. Bottom layer of Spruce veneer.



www.kahrs.com



#### OAK HEATHER

13106AEK1GKW185

**Design:** Plank

Oak, Stained, Micro Beveled Edges, Brushed Features:

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 3mm

> > **Grading:** Lively


> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.




Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1 <i>/4</i> "	5"	1/2"	7	17 782ft²	28lhs	63	2/





www.kahrs.com





The Founders Collection pays tribute to the pioneering founding family members behind Kährs. A heavily brushed, handscraped surface, enhanced by a Nature Oil finish, showcases the grain and texture of the wood – reflecting the masters' dedication to preserving the natural beauty and craftsmanship of wood floors.





#### OAK GUSTAF

151N7BEKFVKW240

**Design:** Plank

Rustic Scandinavian Oak, Stained, Beveled Edges, Brushed, Handscraped Features:

**Surface Treatment:** 


Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Dynamic

Woodloc® 5S Joint: **Guarantee:** Lifetime Structural

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16



This product must be oiled immediately after installation and prior to use.



www.kahrs.com



#### OAK STURE

151N7BEKFMKW240

**Design:** Plank

Features:

Rustic Scandinavian Oak, Stained, Beveled Edges, Handscraped, Brushed, Lightly Smoked

**Surface Treatment:** 


Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Dynamic Woodloc® 5S

Joint:

Lifetime Structural **Guarantee:** 

**Installation:** Float, Glue-down, Nail-down This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft²	49lbs	50	16



This product must be oiled immediately after installation and prior to use.





#### OAK FREDRIK

151N7BEKFCKW240

**Design:** Plank

Rustic Scandinavian Oak, Stained, Beveled Edges, Handscraped, Brushed, Smoked Features:


**Surface Treatment:** 

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Dynamic


Woodloc® 5S Joint: Lifetime Structural **Guarantee:** 


**Installation:** Float, Glue-down, Nail-down This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16







#### OAK ULF

151N7BEKFBKW240

Pallets/Cont.

Bottom layer of poplar veneer.

**Design:** Plank

Features:

Rustic Scandinavian Oak, Stained, Beveled Edges, Handscraped, Brushed

**Surface Treatment:** 

**Guarantee:** 

Length

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Dynamic

Woodloc® 5S Joint:


Float, Glue-down, Nail-down Installation:

Lifetime Structural

Thickness

This product may be floated over radiant heat.

Surface layer: sawn plank.



Weight

Ctn/Pallet




Boards/Ctn Area

This product must be oiled immediately after installation and prior to use.

Solid pine fingers.







The Classic Nouveau Collection is a modern take on wood floors: trendy colors, matte finish, and wide plank design. This collection has been refined through brushing, staining, and the use of a bevel on all four edges. These floors are as beautiful as they are easy to look after, becoming an instant classic in any space.





#### OAK NOUVEAU GRAY

151NAYEKD1KW240

**Design:** Plank

Brushed European Oak, Stained, Beveled Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Lively

> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Thr

5/8"

**Installation:** Float, Glue-down,

Width

7 3/8"

This product may be floated over radian

Length

95 1/4"

Pattern A

ar Through down, Nail-dov radiant heat.	wn					
Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	



29.279ft<sup>2</sup>

Surface layer: sawn plank.

Solid pine fingers.

Bottom layer of poplar veneer.

16



www.kahrs.com



#### OAK NOUVEAU BLACK

151L8AEK1JKW240

**Design:** Plank

Brushed European Oak, Stained, Beveled Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

Lively **Grading:** 


> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
Pattern	A 95 1/4"	7 3/8"	5/8"	6	29.279ft²	49lbs	50	16	
				MARKET BUILDING TO SERVICE STATE OF THE SERVICE STATE STATE OF THE SERVICE STATE STATE STATE OF THE SERVICE STATE STA					



Surface layer: sawn plank. Solid pine fingers.

Bottom layer of poplar veneer.



www.kahrs.com



#### OAK NOUVEAU BLONDE

\*Pattern A: 151N8AEKP1KW240

**Design:** Plank

Brushed European Oak, Stained, Beveled Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Lively


> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16
Pattern B	89 1/4"	7 3/8"	5/8"	6	27.341ft <sup>2</sup>	47lbs	50	16
Pattern C	78 3/4"	7 3/8"	5/8"	6	24.111ft <sup>2</sup>	45lbs	50	16

\*Nouveau Blonde SKUs vary in availability. Please reach out to your Kährs rep for details.





www.kahrs.com



# OAK NOUVEAU GREIGE

151N8AEKGGKW220

**Design:** Plank

Brushed European Oak, Stained, Beveled, Smoked Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

Lively **Grading:** 

> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern B	89 1/4"	7 3/8"	5/8"	6	27.341ft <sup>2</sup>	47lbs	50	16







www.kahrs.com



#### OAK NOUVEAU LACE

151NAYEKS1KW240

Pallets/Cont.

**Design:** Plank

Brushed European Oak, Stained, Beveled Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

Lively **Grading:** 

Length

Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.

A	В	С	

Weight

Ctn/Pallet

Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16	
					in Materials				
					•				
		Design the Control of	in the West Supplied			The state of the s		man and a second a	
2 Layor Co	netruction								
3-Layer Co	i isti uction.		1		1		- 1		

Thickness Boards/Ctn Area





### OAK NOUVEAU SNOW

151N8EEK0WKW220

**Design:** Plank

Brushed European Oak, Stained, Micro Bevel Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

Lively **Grading:** 

> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.

ds/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern B	89 1/4"	7 3/8"	5/8"	6	27.341ft²	47lbs	50	16





www.kahrs.com



# OAK NOUVEAU TAUPE

151N9AEK18KW200

**Design:** Plank

Brushed European Oak, Stained, Beveled Features:

Matte Finish (UV-Cured Acrylic) Surface Treatment:

> Approx. 3.5mm (1/8") Wear Layer:

Lively **Grading:** 

> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

Float, Glue-down, Nail-down Installation:

Patteri	n C 78 3/4"	7 3/8"	5/8"	6	24.111ft <sup>2</sup>	45lbs	50	16	
	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
	This product may be floated over radiant heat.				[ ({ })				



Surface layer: sawn plank.

Solid pine fingers.

Bottom layer of poplar veneer.



www.kahrs.com



#### OAK NOUVEAU WHISPER

151N9AEK16KW200

16

**Design:** Plank

Brushed European Oak, Stained, Beveled Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

Lively **Grading:** 

Length

Pattern C 78 3/4"

Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

5/8"

**Installation:** Float, Glue-down, Nail-down

Width


7 3/8"

This product may be floated over radiant heat.

actural ar Through down, Nail-down radiant heat.						
Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	



24.111ft<sup>2</sup>





#### CLASSIC NOUVEAU COLLECTION

#### OAK NOUVEAU WHITE

151L8AEK1DKW220

**Design:** Plank

Brushed European Oak, Stained, Beveled Features:

Matte Finish (UV-Cured Acrylic) Surface Treatment:

> Approx. 3.5mm (1/8") Wear Layer:

Lively **Grading:** 

> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

Float, Glue-down, Nail-down Installation:


	product may l	,	radiant heat.							
	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.		
Pattern B	89 1/4"	7 3/8"	5/8"	6	27.341ft²	47lbs	50	16		





www.kahrs.com





INSPIRED BY THE PAST, DESIGNED FOR THE FUTURE.

The new Beyond Retro Collection celebrates the combination of classical and modern design elements, with a sense of authenticity, warmth and modernity. The design of each floor, featuring unique stains with a warm, deep, silky, velvet and ultra-matte expression, is based on Scandinavian interior trends seen between the 1940s and 1970s. With the help of the Kährs archives in Sweden, which document our 160 years of history in wood flooring, we found the most suitable colors and styles to bring to the 21st century.







#### **PEARL GREY**

A. Strip: 153N6BEKR4KW240 B. Plank: 151N9AEKR4KW200

**Design:** Plank & 3-Strip Options All: Oak, Stained, Brushed Features:

Plank: 4-Side Micro Bevel Strip: Straight Edge

**Surface Treatment:** Ultra Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 3.5mm Plank: Dynamic **Grading:**


Strip: Lively

Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Strip B. Plank			5/8" 5/8"	6 6	31.324ft <sup>2</sup> 24.111ft <sup>2</sup>	54lbs 40lbs	50 45	16 16



Solid pine fingers. Surface layer consists of sawn strips.





www.kahrs.com





#### LOFT WHITE

A. Strip: 153N6BEKM4KW240 B. Plank: 151N9AEKM4KW200

**Design:** Plank & 3-Strip Options Features:

All: Oak, Stained, Brushed Plank: 4-Side Micro Bevel

Strip: Straight Edge

**Surface Treatment:** Ultra Matte Finish (UV-Cured Acrylic)


> Wear Layer: Approx. 3.5mm Plank: Dynamic **Grading:**

Strip: Lively

Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Strip	95 3/8"	7 7/8"	5/8"	6	31.324ft²	54lbs	50	16
B. Plank	78 3/4"	7 3/8"	5/8"	6	24.111ft²	40lbs	45	16







www.kahrs.com





#### **URBAN BROWN**

A. Strip: 153N6BEKP4KW240 B. Plank: 151N9AEKP4KW200

**Design:** Plank & 3-Strip Options

**Features:** All: Oak, Stained, Brushed Plank: 4-Side Micro Bevel

Strip: Straight Edge

**Surface Treatment:** Ultra Matte Finish (UV-Cured Acrylic)

**Wear Layer:** Approx. 3.5mm

**Grading:** Plank: Dynamic Strip: Lively


Joint: Woodloc® 5S

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Strip B. Plank	95 3/8" 78 3/4"	7 7/8" 7 3/8"	5/8" 5/8"	6	31.324ft <sup>2</sup> 24.111ft <sup>2</sup>	54lbs 40lbs	50 45	16 16
D. I Idlik	70 374	7 370	3/0	O	27.11111	40103	45	10



Surface layer consists of sawn strips. Solid pine fingers.

ine fingers. Bottom layer of Spruce veneer.



www.kahrs.com





#### **CHARCOAL LIGHT**

A. Strip: 153N6BEKS4KW240 B. Plank: 151N9AEKS4KW200

# **Design:** Plank & 3-Strip Options

All: Oak, Stained, Brushed Features:

Plank: 4-Side Micro Bevel Strip: Straight Edge

**Surface Treatment:** Ultra Matte Finish (UV-Cured Acrylic)


> Wear Layer: Approx. 3.5mm Plank: Dynamic **Grading:**

Strip: Lively

Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Strip	95 3/8"	7 7/8"	5/8"	6	31.324ft <sup>2</sup>	54lbs	50	16
B. Plank	78 3/4"	7 3/8"	5/8"	6	24.111ft <sup>2</sup>	40lbs	45	16



Solid pine fingers. Surface layer consists of sawn strips.



www.kahrs.com





#### FROSTED OAT

A. Strip: 153N6BEKN4KW240 B. Plank: 151N9AEKN4KW200

**Design:** Plank & 3-Strip Options **Features:** All: Oak, Stained, Brushed

Plank: 4-Side Micro Bevel Strip: Straight Edge

**Surface Treatment:** Ultra Matte Finish (UV-Cured Acrylic)


Wear Layer: Approx. 3.5mm
Grading: Plank: Dynamic

Strip: Lively

Joint: Woodloc® 5S


**Guarantee:** Lifetime Structural 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Strip B. Plank			5/8" 5/8"	6 6	31.324ft <sup>2</sup> 24.111ft <sup>2</sup>	54lbs 40lbs	50 45	16 16









#### FROZEN HAZELNUT

A. Strip: 153N6BEKQ4KW240 B. Plank: 151N9AEKQ4KW200

# **Design:** Plank & 3-Strip Options **Features:** All: Oak, Stained, Brushed

Plank: 4-Side Micro Bevel

Strip: Straight Edge

**Surface Treatment:** Ultra Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm
Grading: Plank: Dynamic


Strip: Lively

Joint: Woodloc® 5S

Guarantee: Lifetime Structura


Lifetime Structural 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down




	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Strip	95 3/8"	7 7/8"	5/8"	6	31.324ft <sup>2</sup>	54lbs	50	16
B. Plank	78 3/4"	7 3/8"	5/8"	6	24.111ft <sup>2</sup>	40lbs	45	16









This collection of engineered Oak floors is designed to let the raw beauty of nature speak for itself. With a focus on maintaining all the inherent features of wood, the design of Texture lies in the natural details and contrasts. Soft saw marks and a matte oil finish further emphasize the naturally occurring design details and enhance the natural character of the material.





## **TEXTURE GRAU**

151200240

**Design:** Plank

Features: Oak, Brushed, Micro Beveled,

Saw Marks, Smoked

Surface Treatment: Oil


**Grading:** Expressive

Wear Layer: Approx 3.5mm (1/8")

Joint: Woodloc® 5S **Guarantee:** Lifetime Structural

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16



Surface layer consists of sawn strips.

Solid pine fingers.

Bottom layer of Spruce veneer.

This product must be oiled immediately after installation and prior to use.



www.kahrs.com



#### **TEXTURE NATUR**

151198240

**Design:** Plank

Oak, Brushed, Micro Beveled, Saw Marks Features:

**Surface Treatment:** Oil

> **Grading:** Expressive

Wear Layer: Approx 3.5mm (1/8")

> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat. Width Thickness Boards/Ctn Area Ctn/Pallet Pallets/Cont. Length Weight 95 1/4" 7 3/8" 29.279ft<sup>2</sup> 49lbs 50 16



This product must be oiled immediately after installation and prior to use.



www.kahrs.com



## TEXTURE ROHOPTIC

151201240

**Design:** Plank

**Features:** Oak, Brushed, Micro Beveled,

Saw Marks, Stained

Surface Treatment: O

**Grading:** Expressive


Wear Layer: Approx 3.5mm (1/8")

Joint: Woodloc® 5S

Guarantee: Lifetime Structural

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft²	49lbs	50	16



This product must be oiled immediately after installation and prior to use.



www.kahrs.com



## **TEXTURE WEISS**

151199240

**Design:** Plank

Oak, Brushed, Micro Beveled, Features:

Saw Marks, Stained


Surface Treatment: Oil

**Grading:** Expressive

Wear Layer: Approx 3.5mm (1/8")

Joint: Woodloc® 5S Lifetime Structural **Guarantee:** 

**Installation:** Float, Glue-down, Nail-down



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16




This product must be oiled immediately after installation and prior to use.



www.kahrs.com





# LUX COLLECTION: 6" WIDE PLANKS

The Lux Collection features floors with the look and feel of untreated, newly-sawn timber. This is achieved through an ultra-matte surface treatment. Featuring a four-sided micro bevel, these floors achieve the classic wide plank look. Biscotti, Ghost, Eggshell, and Crayon are 6" in width, while the other Lux products are 7 3/8" wide.





OAK EGGSHELL

151N51EKC4KW240

**Design:** Plank

European Oak, Brushed, Micro Beveled Edges Features:

Ultra Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Lively


> Woodloc® 5S Joint:

> > Length

Lifetime Structural 25 Year Wear Through **Guarantee:** 

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.




Weight Ctn/Pallet Pallets/Cont.

Pattern D	95 1/4"	6"	5/8"	6	23.681ft <sup>2</sup>	40	54	16
			NAME OF THE PERSON ASSESSED.					

Area

Width Thickness Boards/Ctn





www.kahrs.com



**OAK GHOST** 

151N51EKB4KW240

**Design:** Plank

Features: European Oak, Brushed, Micro Beveled Edges

Ultra Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Lively


> Woodloc® 5S Joint:

**Guarantee:** 

Lifetime Structural 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
Pattern D	95 1/4"	6"	5/8"	6	23.681ft <sup>2</sup>	40	54	16	



Surface layer: sawn plank. Solid pine fingers. Bottom layer of poplar veneer.





OAK CRAYON

151N51EKL4KW240

**Design:** Plank

Features: European Oak, Brushed, Micro Beveled Edges

Ultra Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

Approx. 3.5mm (1/8") Wear Layer:


**Grading:** Lively

> Woodloc® 5S Joint:

**Guarantee:** 

Lifetime Structural 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern D	95 1/4"	6"	5/8"	6	23.681ft <sup>2</sup>	40	54	16







#### OAK BISCOTTI

(E) 151N51EKK4KW220 (F) 151N51EKK4KW200

**Design:** Plank European Oak, Brushed, Micro Beveled Edges

Features: **Surface Treatment:** 

Ultra Matte Finish (UV-Cured Acrylic)

Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Lively


> Woodloc® 5S Joint:

**Guarantee:** 

Lifetime Structural 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
Pattern E	89 1/4"	6"	5/8"	6	22.066ft <sup>2</sup>	37	54	16	
Pattern F	78 3/4"	6"	5/8"	6	19.482ft²	33	54	16	



Surface layer: sawn plank. Solid pine fingers.



www.kahrs.com



# LUX COLLECTION | SPECIAL ORDER

The Lux Collection features floors with the look and feel of untreated, newly-sawn timber. This is achieved through an ultra-matte surface treatment. Featuring a four-sided micro bevel, these floors achieve the classic wide plank look, in colors ranging from light to dark. The innovative surface treatment is non-reflective, enhancing the color of the floor while giving it a silky, yet strong shield against wear-and-tear.





# ASH FLOW | SPECIAL ORDER

**Design:** Plank

Features:

Scandinavian Ash, Stained, Brushed, Micro Beveled Edges

Ultra Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 


Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Lively

> Woodloc® 5S Joint:


Lifetime Structural **Guarantee:** 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16







# OAK AURORA | SPECIAL ORDER

151N9AEKC4KW220

**Design:** Plank

Features:

European Oak, Brushed, Stained, Micro Beveled Edges

**Surface Treatment:** 

Ultra Matte Finish (UV-Cured Acrylic)

Approx. 3.5mm (1/8") Wear Layer:


**Grading:** Dynamic

> Woodloc® 5S Joint:

**Guarantee:** 


Lifetime Structural 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern B	89 1/4"	7 3/8"	5/8"	6	27.341ft <sup>2</sup>	47lbs	50	16







# OAK COAST | SPECIAL ORDER

**Design:** Plank

Features:

European Oak, Brushed, Stained, Micro Beveled Edges

Ultra Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

Wear Layer: Approx. 3.5mm (1/8")


**Grading:** Lively

> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 


25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
Pattern C	78 3/4"	7 3/8"	5/8"	6	24.111ft <sup>2</sup>	45lbs	50	16	







# OAK HORIZON | SPECIAL ORDER

**Design:** Plank

Features:

European Oak, Brushed, Stained, Micro Beveled Edges

**Surface Treatment:** 

Ultra Matte Finish (UV-Cured Acrylic)

Approx. 3.5mm (1/8") Wear Layer:


**Grading:** Lively

> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16	







# OAK RISE | SPECIAL ORDER

**Design:** Plank

European Oak, Brushed, Micro Beveled Edges Features:

Ultra Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

Approx. 3.5mm (1/8") Wear Layer:


**Grading:** Dynamic

> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
Pattern B	89 1/4"	7 3/8"	5/8"	6	27.341ft <sup>2</sup>	47lhs	50	16	







www.kahrs.com



# OAK SHORE | SPECIAL ORDER

151N8AEKE4KW240

**Design:** Plank

Features:

European Oak, Brushed, Stained, Micro Beveled Edges

**Surface Treatment:** 

Ultra Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Lively


> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279ft²	49lbs	50	16	





www.kahrs.com



# OAK SKY | SPECIAL ORDER

**Design:** Plank

Features:

European Oak, Brushed, Stained, Micro Beveled Edges

**Surface Treatment:** 

Ultra Matte Finish (UV-Cured Acrylic)

Approx. 3.5mm (1/8") Wear Layer:


Lively **Grading:** 

> Woodloc® 5S Joint:

**Guarantee:** 


Lifetime Structural 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279ft²	49lbs	50	16







CLICK TO RETURN TO TABLE OF CONTENTS www.kahrs.com



# OAK SUN | SPECIAL ORDER

**Design:** Plank

European Oak, Brushed, Micro Beveled Edges Features:

Ultra Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

Approx. 3.5mm (1/8") Wear Layer:


Lively **Grading:** 

> Woodloc® 5S Joint:

**Guarantee:** 

Lifetime Structural 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16	







# OAK TERRA | SPECIAL ORDER

**Design:** Plank

Features:

European Oak, Brushed, Smoked, Micro Beveled Edges

**Surface Treatment:** 

Ultra Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm (1/8")


**Grading:** Lively

> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16







## ASH STREAM | SPECIAL ORDER

**Design:** Plank

Scandinavian Ash, Brushed, Stained, Micro Beveled Edges Features:

**Surface Treatment:** 

Ultra Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm (1/8")


**Grading:** Lively

> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 


25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down




	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16









# CAPITAL COLLECTION | SPECIAL ORDER

The Capital Collection features long, wide boards with a clean grade. Only our finest oak is selected for this exclusive product range of plank floors, named for the prestigious capital cities from around the world.





## CAPITAL COLLECTION

# OAK BERLIN | SPECIAL ORDER

**Design:** Plank

**Features:** European Oak, Brushed, Smoked, Micro Beveled Edges

**Surface Treatment:** 

Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Calm

Joint: Woodloc® 5S **Guarantee:** Lifetime Structural

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern B	89 1/4"	7 3/8"	5/8"	6	27.341ft²	47bs	50	16



This product must be oiled immediately after installation and prior to use.





#### CAPITAL COLLECTION

# OAK DUBLIN | SPECIAL ORDER

**Design:** Plank

European Oak, Brushed, Micro Beveled Edges Features:

Ultra Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Calm


> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16



Surface layer: sawn plank. Solid pine fingers.



www.kahrs.com



#### CAPITAL COLLECTION

## OAK PARIS | SPECIAL ORDER

**Design:** Plank

Features:

European Oak, Stained, Brushed, Micro Beveled Edges

Ultra Matte Finish **Surface Treatment:** 

(UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Calm


> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279 ft2	49 lbs	50	16
Pattern B	89 1/4"	7 3/8"	5/8"	6	27.341 ft2	47 lbs	50	16

\*SKUs vary in availability. Please reach out to your Kährs rep for details.



Surface layer: sawn plank.

Solid pine fingers.

Bottom layer of poplar veneer.



www.kahrs.com



#### CAPITAL COLLECTION

#### OAK PRAGUE | SPECIAL ORDER

**Design:** Plank

Features:

European Oak, Brushed, Stained, Micro Beveled Edge

**Surface Treatment:** 

Ultra Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Calm


> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.




	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern C	78 3/4"	7 3/8"	5/8"	6	24.111ft <sup>2</sup>	45lbs	50	16





www.kahrs.com





# HARMONY & SAND COLLECTIONS

Harmony: the comfort of home, with its warm, nurturing atmosphere. A place to retreat, awash with mellow tones that calm the body and soul. The subtle, rich tones of Kährs Harmony and Sand Collections are designed to complement all interior styles and to create a sense of well-being.





#### OAK CREME

**Design:** 2-Strip

Brushed European Oak, Stained, Square Edge Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Variation


> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	5/8"	6	31.324ft²	54lbs	50	16



Surface layer consists of sawn strips. Solid pine fingers.

Bottom layer of poplar veneer.



www.kahrs.com



#### OAK GRANITE

**Design:** 2-Strip

Brushed European Oak, Stained, Lightly Smoked, Square Edge Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Lively


> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
95 3/8"	7 7/8"	5/8"	6	31.324ft²	54lbs	50	16	



Surface layer consists of sawn strips. Solid pine fingers.

Bottom layer of poplar veneer.



www.kahrs.com



#### OAK CIRRUS

152N2BEKVVKW 0

**Design:** 2-Strip

Brushed European Oak, Stained, Square Edge Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Wear Layer: Approx. 3.5mm (1/8")

Lively **Grading:** 


> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through


**Installation:** Float, Glue-down, Nail-down


This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
95 3/8"	7 7/8"	5/8"	6	31.324ft <sup>2</sup>	54lbs	50	16	







#### OAK LAVA

**Design:** 3-Strip

**Features:** Brushed European Oak, Stained, Square Edge

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

Wear Layer: Approx. 3.5mm (1/8")

Lively **Grading:** 


> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	5/8"	6	31.324ft <sup>2</sup>	54lbs	50	16



Surface layer consists of sawn strips. Solid pine fingers.

Bottom layer of poplar veneer.





#### **OAK ALLOY**

153N0BEKD1KW 0

**Design:** 3-Strip

**Features:** Brushed European Oak, Stained, Square Edge

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

Lively **Grading:** 


> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	5/8"	6	31.324ft²	54lbs	50	16







#### OAK PALE

**Design:** 3-Strip

Brushed European Oak, Stained, Square Edge Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Variation


> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	5/8"	6	31.324ft <sup>2</sup>	54lbs	50	16
A.S. Carlotte					是 是 是 是 是 是 是 是 是 是 是 是 是 是		







#### OAK LIMESTONE

153N0BEK0WKW 0

**Design:** 3-Strip

**Features:** Brushed European Oak, Stained, Square Edge

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Approx. 3.5mm (1/8") Wear Layer:

Lively **Grading:** 


> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through


**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	5/8"	6	31.324ft <sup>2</sup>	54lbs	50	16





www.kahrs.com



Length

#### **OAK PORTOFINO**

**Design:** 2-Strip

European Oak, Stained, Square Edge, Smooth Features:

Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Variation


> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Ctn/Pallet

Weight

95 3/8"	7 7/8"	5/8"	6	31.324ft <sup>2</sup>	54lbs	50	16	
RISINES MEDIA	WANTED TO THE				26 E E E E		7 <b>8</b> 8938888	
				1				

Thickness Boards/Ctn Area

3-Layer Construction: Surface layer consists of sawn strips. Solid pine fingers.

Bottom layer of poplar veneer.

Pallets/Cont.







For more than 160 years, Kährs has been working with wood. This history inspired the European Renaissance Collection, a collection of classic floors based on the magnificent floor styles of bygone periods. Something really special and totally unique.





#### PALAZZO FUMO

**Design:** Dutch Pattern

Lightly Smoked Oak, Smooth, Square Edge Features:

Matte (UV-Cured Acrylic) **Surface Treatment:** 

Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Lively


> Joint: Woodloc® 5S

**Guarantee:** Lifetime Structural

25 Year Wear Through

Float, Glue-down, Nail-down Installation:

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/2"	7 7/8"	5/8"	6	31.12ft <sup>2</sup>	51lbs	50	16




Surface layer consists of sawn strips. Solid pine fingers.

Bottom layer of poplar veneer.



www.kahrs.com



#### PALAZZO ROVERE

153138EK50KW 0

**Design:** Dutch Pattern

Smooth Oak, Square Edge Features:

Silk Matte Finish **Surface Treatment:** 

(UV-Cured Acrylic)

Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Variation

> Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

Thickness

**Installation:** Float, Glue-down, Nail-do

Width

This product may be floated over radiant heat.

lown				
Boards/C	tn Area	Weight	Ctn/Pallet	Pallets/Cont.

	95 3/8"	7 7/8"	5/8"	6	31.109ft <sup>2</sup>	54lbs	50	16		
80	SECTION SECTIONS				Unit Notes					



Length

Surface layer consists of sawn strips. Solid pine fingers.

Bottom layer of poplar veneer.



www.kahrs.com



#### PALAZZO BIANCO

15313BEKVVKW 0

**Design:** Dutch Pattern

**Features:** Brushed Oak, White Stain,

Square Edge

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Variation

Joint: Woodloc® 5S

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

95 3/8"	7 7/8"	5/8"	6	31.109ft <sup>2</sup>	54lbs	50	16	
Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
This product may be	adiant heat.	] (						





www.kahrs.com





# AMERICAN, EUROPEAN, SCANDINAVIAN & WORLD NATURALS COLLECTIONS

Vigorous, opulent species such as American Walnut, American Cherry, Canadian Maple, Scandinavian Ash, Nordic Beech, European Oak, and Brazilian Cherry as varied as the continents - these collections cover many interior styles.





## AMERICAN NATURALS COLLECTION

#### HARD MAPLE TORONTO

153N15AP50KW 0

**Design:** 3-Strip

Smooth Canadian Maple, Square Edge Features:

**Surface Treatment:** 

Silk Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Calm

> Joint: Woodloc® 5S

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	5/8"	6	31.324ft <sup>2</sup>	54lbs	50	16



Surface layer consists of sawn strips. Solid pine fingers.

Bottom layer of poplar veneer.



www.kahrs.com



#### AMERICAN NATURALS COLLECTION

#### **CHERRY SAVANNAH**

**Design:** 3-Strip

Smooth American Cherry, Square Edge Features:

**Surface Treatment:** 

Silk Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Calm

> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

Thickness


5/8"

**Installation:** Float, Glue-down, Nail-down

Width

7 7/8"

This product may be floated over radiant heat.



Weight

54lbs

Ctn/Pallet

50



31.324ft<sup>2</sup>

Boards/Ctn Area

Length

95 3/8"

Surface layer consists of sawn strips. Solid pine fingers.

Bottom layer of poplar veneer.

Pallets/Cont.

16



www.kahrs.com



#### AMERICAN NATURALS COLLECTION

#### WALNUT MONTREAL

153N15VA50KW 0

**Design:** 3-Strip

Smooth American Walnut, Square Edge Features:

**Surface Treatment:** 

Silk Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm (1/8")


**Grading:** Calm

> Joint: Woodloc® 5S

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	5/8"	6	31.324ft²	54lbs	50	16
MART - 1.30 - 4.31.25 (	Total Control of the Control of Control						





www.kahrs.com



#### EUROPEAN NATURALS COLLECTION

#### OAK SIENA

**Design:** 3-Strip

**Features:** Smooth White Oak, Square Edge

**Surface Treatment:** Silk Matte Finish

(UV-Cured Acrylic)

**Wear Layer:** Approx. 3.5mm (1/8")

**Grading:** Variation


Joint: Woodloc® 5S

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Ctn/Pallet

Weight

95 3/8"	7 7/8"	5/8"	6	31.324ft <sup>2</sup>	54lbs	50	16
STATE OF THE PARTY AND ADDRESS OF THE PARTY AN				Madella			

Thickness Boards/Ctn Area




Length

Surface layer consists of sawn strips. Solid pine fingers.

Bottom layer of poplar veneer.

Pallets/Cont.





#### EUROPEAN NATURALS COLLECTION

OAK VERONA

**Design:** 2-Strip

**Features:** Smooth White Oak, Square Edge

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Variation


Joint: Woodloc® 5S

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	5/8"	6	31.324ft <sup>2</sup>	54lbs	50	16



Surface layer consists of sawn strips. Solid pine fingers.

Bottom layer of poplar veneer.



www.kahrs.com



#### SCANDINAVIAN NATURALS COLLECTION

#### **ASH GOTLAND**

151L87AK50KW240

**Design:** Plank

Smooth Scandinavian Ash, Square Edge Features:

**Surface Treatment:** 

Silk Matte Finish (UV-Cured Acrylic)

Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Lively

> Woodloc® 5S Joint:


Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

Width

This product may be floated over radiant heat.



Ctn/Pallet

Pattern A	95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16	
8		NEW YEAR OF THE PARTY OF THE PA	<b>《</b> 》						A STATE OF THE STA
-					NOVANCE BY THE PROPERTY OF THE PARTY OF THE		A THOMAS OF THE REAL PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF TH		
TO THE PROPERTY OF							All and the second seco		Name and Park
The state of the s						The latest terms with	please with a second		

Area

Weight

Thickness Boards/Ctn

3-Layer Construction:

Length

Surface layer: sawn plank.

Solid pine fingers.

Bottom layer of poplar veneer.

Pallets/Cont.





#### SCANDINAVIAN NATURALS COLLECTION

#### **BEECH VIBORG**

**Design:** 3-Strip

Smooth Scandinavian Beech, Square Edge Features:

Silk Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

Approx. 3.5mm (1/8") Wear Layer:


**Grading:** Variation

> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
Pattern B	95 3/8"	7 7/8"	5/8"	6	31.324ft <sup>2</sup>	54lbs	50	16







## WORLD COLLECTION

#### BRAZILIAN CHERRY LA PAZ

Pallets/Cont.

**Design:** 3-Strip

Smooth Brazilian Cherry, Square Edge Features:

**Surface Treatment:** 

Silk Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Calm

Length

www.kahrs.com

Woodloc® 5S Joint:


Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.

Width



Ctn/Pallet

CLICK TO RETURN TO TABLE OF CONTENTS

Weight

	95 3/8"	7 7/8"	5/8"	6	31.324ft²	54lbs	50	16	
8		DESCRIPTION OF							

Thickness Boards/Ctn Area









The historic Småland region of Sweden - whose name means "small lands" - is known for beautiful dense forests covering the terrain. As a tribute to Kährs' homeland, the floors in this collection are named after the historic "small lands" in the Småland region. This collection features specially selected Oak planks with extreme character, individually treated based on its unique composition of knots, graining, and cracks. The result is a lively and rich floor with a natural lustre and feeling.





OAK VISTA

**Design:** Plank

Rustic Oak, Stained, Brushed, Handscraped, Beveled Edges Features:

**Surface Treatment:** 


Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Dynamic Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16



This product must be oiled immediately after installation and prior to use.





#### OAK ASPELAND

151NDSEK01KW240

**Design:** Plank

Rustic Oak, Stained, Brushed, Saw Marks, Handscraped, Beveled Edges Features:

**Surface Treatment:** 


Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Expressive

Woodloc® 5S Joint: **Guarantee:** Lifetime Structural

Float, Glue-down, Nail-down Installation:

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft²	49lbs	50	16



This product must be oiled immediately after installation and prior to use.



www.kahrs.com



**Design:** Plank

Rustic Oak, Stained, Brushed, Features:

Handscraped, Beveled Edges

**Surface Treatment:** 


Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Dynamic

Woodloc® 5S Joint: **Guarantee:** Lifetime Structural

Float, Glue-down, Nail-down Installation:

This product may be floated over radiant heat.



OAK MÖRE



This product must be oiled immediately after installation and prior to use.



www.kahrs.com



#### OAK VEDBO

**Design:** Plank

**Features:** Rustic Oak, Brushed, Handscraped, Beveled Edges

**Surface Treatment:** 


Approx. 3.5mm (1/8") Wear Layer:

**Grading:** Dynamic

Woodloc® 5S Joint: **Guarantee:** Lifetime Structural

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16	



This product must be oiled immediately after installation and prior to use.



www.kahrs.com



#### OAK FINNVEDEN

Bottom layer of poplar veneer.

**Design:** Plank

Rustic Oak, Stained, Brushed, Saw Marks, Handscraped, Beveled Edges Features:

**Surface Treatment:** 


Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Expressive Woodloc® 5S Joint:

Lifetime Structural **Guarantee:** 

Float, Glue-down, Nail-down Installation: This product may be floated over radiant heat.

Surface layer: sawn plank.





This product must be oiled immediately after installation and prior to use.

Solid pine fingers.





#### OAK YDRE

151NCSEK04KW240

**Design:** Plank

Features:

Rustic Oak, Stained, Brushed, Handscraped, Lightly Smoked, Beveled Edges


**Surface Treatment:** 

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Dynamic

Woodloc® 5S Joint: Lifetime Structural **Guarantee:** 

Float, Glue-down, Nail-down Installation: This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16



This product must be oiled immediately after installation and prior to use.





#### OAK TVETA

Pallets/Cont.

**Design:** Plank

Features:

Rustic Oak, Stained, Brushed, Handscraped, Lightly Smoked, Saw Marks, Beveled Edges

5/8"

**Surface Treatment:** 

Length

95 1/4"

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Expressive

Woodloc® 5S Joint: Lifetime Structural **Guarantee:** 


Float, Glue-down, Nail-down Installation:

This product may be floated over radiant heat.

Width

7 3/8"

Surface layer: sawn plank.



Ctn/Pallet

50

Weight

49lbs



29.279ft<sup>2</sup>

Thickness Boards/Ctn Area

This product must be oiled immediately after installation and prior to use.

Solid pine fingers.



www.kahrs.com



## SMÅLAND COLLECTION

#### OAK SEVEDE

**Design:** Plank

Rustic Oak, Stained, Brushed, Handscraped, Lightly Smoked, Beveled Edges Features:


**Surface Treatment:** 

Wear Layer: Approx. 3.5mm (1/8")


**Grading:** Dynamic

Woodloc® 5S Joint: Lifetime Structural **Guarantee:** 

Float, Glue-down, Nail-down Installation: This product may be floated over radiant heat.




Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft²	49lbs	50	16



This product must be oiled immediately after installation and prior to use.



www.kahrs.com



## SMÅLAND COLLECTION

## OAK HANDBÖRD

151NDSEK06KW240

**Design:** Plank

Rustic Oak, Handscraped, Stained, Brushed, Lightly Smoked, Saw Marks, Beveled Edges Features:


**Surface Treatment:** 

Wear Layer: Approx. 3.5mm (1/8")

**Grading:** Expressive

Woodloc® 5S Joint: Lifetime Structural **Guarantee:** 

**Installation:** Float, Glue-down, Nail-down



Length	Width	Inickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft <sup>2</sup>	49lbs	50	16



This product must be oiled immediately after installation and prior to use.



www.kahrs.com



## SMÅLAND COLLECTION

#### **OAK KLINTA**

Pallets/Cont.

**Design:** Plank

Rustic Oak, Stained, Brushed, Handscraped, Beveled Edges Features:

**Surface Treatment:** 

Length

Approx. 3.5mm (1/8") Wear Layer:


**Grading:** Dynamic Woodloc® 5S Joint:

**Guarantee:** Lifetime Structural

Float, Glue-down, Nail-down Installation:

Width

This product may be floated over radiant heat.



Ctn/Pallet

Weight



This product must be oiled immediately after installation and prior to use.

Thickness Boards/Ctn Area








# KÄHRS COMPLETE FLOORING SYSTEM FOR HARDWOOD FLOORS

Kährs offers a wide range of tools and materials to make installation easy and help achieve a perfect end result. The range includes a variety of underlayments, installation tools, and moldings, as well as maintenance products specially designed for our hardwood floors.


## MOLDINGS FOR ALL KÄHRS WOOD FLOORS



#### **QUARTER ROUND**

Conceals expansion space between the wall and Kährs hardwood flooring. Also used to transition between wood flooring and cabinetry.


Applicable Collections	Molding Dimensions	Pieces per Order	Shipment Weight
All Floors	3/4" x 3/4" x 78"	10	10 lbs



#### **T-MOLDING**

Used in doorways to blend flooring surfaces in adjoining rooms or where floors of the same thickness meet.

Applicable Collections	Molding Dimensions	Pieces per Order	Shipment Weight
All Floors	2" x 11/16" x 78"	5	25 lbs



#### **WALL BASE**

Provides an elegant, traditional transition from the flooring to wall. Gives any room a more formal, finished appearance.


Applicable Collections	Molding Dimensions	Pieces per Order	Shipment Weight
All Floors	5/8" x 3 1/2" x 78"	5	25 lbs


#### **SQUARE NOSE REDUCER**

Installed against vertical surfaces such as patio doors or fireplace hearths.

MOLDINGS SPECIFIC TO FLOOR THICKNESS

Applicable Collections	Molding Dimensions	Pieces per Order	Shipment Weight
Kährs Life (7mm)	1 1/2" x 3/4" x78"	5	10 lbs
Kährs Avanti (13mm)   Kährs Original, Supreme, ID (15mm)	1 1/2" x 7/8" x78"	5	10 lbs







#### **OVERLAP REDUCER**

Used with floating floor applications to provide a smooth transition between floors of different heights. Overlap profile allows the installed flooring to expand and contract.

Applicable Collections	Molding Dimensions	Pieces per Order	Shipment Weight
Kährs Life (7mm)	1 1/2" x 3/8" x 78"	5	10 lbs
Kährs Avanti (13mm)   Kährs Original, Supreme, ID (15mm)	2 3/8" x 3/4" x 78"	5	10 lbs







#### **THRESHOLD**

Ideal for doorways or to transition between floors of different heights. Used with wood, tile or carpet.


Applicable Collections	Molding Dimensions	Pieces per Order	Shipment Weight
Kährs Life (7mm)	2" x 3/4" x 78"	10	10 lbs
Kährs Avanti (13mm)   Kährs Original, Supreme, ID (15mm)	2" x 7/8" x 78"	5	10 lbs






#### **OVERLAP STAIR NOSINGS**


Applicable Collections	Molding Dimensions	Pieces per Order	Shipment Weight
Kährs Life (7mm)	2" x 13/16" x 78"	5	20 lbs
Kährs Avanti (13mm)   Kährs Original, Supreme, ID (15mm)	3" x 13/16" x 78"	5	20 lbs






#### **WOODLOC® FLUSH STAIR NOSINGS**


Applicable Collections	Molding Dimensions	Pieces per Order	Shipment Weight
Kährs Avanti (13mm)	2 7/8" x 13/16" x 78"	5	20 lbs
Kährs Original, Supreme (15mm)	3 3/8" x 13/16" x 78"	5	20 lbs






#### FLUSH STAIR NOSINGS, WOODLOC®

Applicable Collections	Molding	Pieces per	Shipment
	Dimensions	Order	Weight
Kährs Life (7mm)	2" x 13/16" x 78"	5	20 lbs



#### FLUSH STAIR NOSINGS, TONGUE & GROOVE

Applicable Collections	Molding Dimensions	Pieces per Order	Shipment Weight
Kährs ID (15mm)	3" x 13/16" x 78"	5	20 lbs



#### **Transition Profile**

T-Molding 7mm, 10mm	1 1/2"
T-Molding 13mm, 15mm	1 1/2"
Square Nose 7mm, 10mm	7/8"
Square Nose 13mm, 15mm	1 1/4"
Threshold 7mm, 10mm	3/8"
Threshold 13mm, 15mm	1 3/8"
Overlap Reducer 7mm	1 3/8"
Overlap Reducer 10mm	2 1/8"
Overlap Reducer 13mm, 15mm	2 1/4"

# KÄHRS MAINTENANCE PRODUCTS

**Setback Distance** 



#### Kährs Floor Cleaner

710804

750 ml bottle Kährs Floor Cleaner Can be used on both Kährs Hardwood and Kährs Luxury Tile Products.



#### Kährs Satin Oil

710553

No mixing required!

TO BE USED IMMEDIATELY AFTER INSTALLATION AND PRIOR TO USE OF THE FLOOR

Apply a thin layer of Kährs Satin Oil on the surface and spread it evenly with a Kährs Micro Fiber Mop or a dry cloth along the grain of the board. Polish again with a new Micro Fiber Mop head after 10-15 minutes so that no residue is left behind. 1 l of Kährs Satin Oil per 2,000ft<sup>2</sup>.

1 liter

2 lbs

#### HARDWOOD FLOORING

MAINTENANCE PRODUCTS

#### Kährs Floor Care Kit

710526

Maintenance kit containing: dry mop, bottle of Kährs Cleaner, and Kährs Floor Care Guide.

1 kit per carton

5 lbs





#### **Microfiber Replacement Pad**

710512

Replacement pad for dry mop.



#### **CLICK TO RETURN TO TABLE OF CONTENTS**

#### HARDWOOD FLOORING **UNDERLAYMENTS**

# Kährs Combo System



100 ft <sup>2</sup>	630 ft <sup>2</sup>
30′	189′
40"	40"
1/8"	1/8"
3 lbs, 3 oz	21 lbs
7 1/8"	16 1/2"
710100	710107
IIC = 68	
	30' 40" 1/8" 3 lbs, 3 oz 7 1/8" 710100

- · Helps level the subfloor
- Provides moisture barrier/ventilation
- Compressibility-holds its shape under heavy loads
- Meets requirements for Kährs Lifetime Guarantee
- Mold reducing, inert and non-reactive construction
- · Lightweight with Integrated overlap seal
- Ideal for radiant heating

# Kährs Eco+



Roll Coverage	100 ft <sup>2</sup>	450 ft <sup>2*</sup>
Roll Length	33′ 4″	75′
Roll Width	3'	6′
Thickness	1/8"	1/8"
Roll Weight	16 lbs	74 lbs
Roll Diameter	7"	11"
Item Number	711100	711450*
Sound Rating	IIC = 70	

- Excellent acoustical performance
- Meets requirements for Kährs Lifetime Guarantee
- Lightweight with Integrated overlap seal
- 100% high density memory foam
- Premium polyurethane construction Guaranteed over radiant heat
- UL GreenGuard GOLD certified
- · Breathable moisture barrier;
- Up to 10lbs moisture emission
- Ultra-fresh antimicrobial protection
- Free from formaldehyde, latex, PBDE's
- Made in part with natural resources
- 100% recyclable
- Eligible for LEED credits

Kährs QuietStride 2.0




Roll Coverage	300 ft <sup>2</sup>
Roll Length	75′
Roll Width	48"
Thickness	1/8"
Roll Weight	120 lbs
Roll Diameter	9"
Item Number	710112
Sound Rating	IIC = 57

- Glue down, floating installations
- Enhances underfoot comfort
- Conceals minor subfloor irregularities
- Always lays flat and will not slip during installation
- Approved for 'double-stick' installations
  92% recycled tire content and 100% recyclable
- FloorScore certified & Contributes to LEED credits
- Guaranteed over radiant heat
- · Resists mold, mildew, and fungus growth

\*Special Order





# AWARE COLLECTION **PVC-FREE** HYBRID FLOORING

The Aware Collection is a bio-based, natural floor designed to withstand family-life and the wear and tear of commercial applications, while offering the style, beauty, and feel of a wood floor. With colors inspired by national parks around the world, the collection features a range of 9 different, rustic wood design planks.





#### **KAPPADOKIEN**

LTAWAW1112

**Design:** Wood Design


**Features:** PVC-free, bio-based, four-sided microbevel, wood grain embossing

**Surface Treatment:** Ultra Matte Finish

> Joint: Click

25 Year Residential 10 Year Commercial **Guarantee:** 

**Installation:** Float



 Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
71 1/2"	7 7/8"	3/8"	6	23.4ft <sup>2</sup>	34.9lbs	48	26	





#### **BWINDI**

LTAWAW1111

**Design:** Wood Design


**Features:** PVC-free, bio-based, four-sided microbevel, wood grain embossing

**Surface Treatment:** Ultra Matte Finish

> Joint: Click

25 Year Residential 10 Year Commercial **Guarantee:** 

**Installation:** Float



 Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
71 1/2"	7 7/8"	3/8"	6	23.4ft <sup>2</sup>	34.9lbs	48	26	





## **GRAND CANYON**

LTAWAW1113

**Design:** Wood Design


**Features:** PVC-free, bio-based, four-sided microbevel, wood grain embossing

Ultra Matte Finish **Surface Treatment:** 

> Joint: Click


25 Year Residential 10 Year Commercial **Guarantee:** 

**Installation:** Float



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
71 1/2"	7 7/8"	3/8"	6	23.4ft <sup>2</sup>	34.9lbs	48	26





#### YOSEMITE

LTAWAW1114

**Design:** Wood Design


**Features:** PVC-free, bio-based, four-sided microbevel, wood grain embossing

**Surface Treatment:** Ultra Matte Finish

> Joint: Click

25 Year Residential 10 Year Commercial **Guarantee:** 

**Installation:** Float



 Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
71 1/2"	7 7/8"	3/8"	6	23.4ft <sup>2</sup>	34.9lbs	48	26	





#### SERENGETI

LTAWAW1115

**Design:** Wood Design


**Features:** PVC-free, bio-based, four-sided microbevel, wood grain embossing

Ultra Matte Finish **Surface Treatment:** 


> Joint: Click


25 Year Residential 10 Year Commercial **Guarantee:** 

**Installation:** Float



 Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
71 1/2"	7 7/8"	3/8"	6	23.4ft <sup>2</sup>	34.9lbs	48	26	





#### YELLOWSTONE

LTAWAW1117

**Design:** Wood Design

Features:


PVC-free, bio-based, four-sided microbevel, wood grain embossing

**Surface Treatment:** Ultra Matte Finish

> Joint: Click

25 Year Residential 10 Year Commercial **Guarantee:** 

**Installation:** Float



 Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
71 1/2"	7 7/8"	3/8"	6	23.4ft <sup>2</sup>	34.9lbs	48	26	





**ROCKY** 

LTAWAW1119

**Design:** Wood Design


**Features:** PVC-free, bio-based, four-sided microbevel, wood grain embossing

**Surface Treatment:** Ultra Matte Finish

> Joint: Click

25 Year Residential **Guarantee:** 10 Year Commercial

**Installation:** Float



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
71 1/2"	7 7/8"	3/8"	6	23.4ft²	34.9lbs	48	26





**SMOKY** 

LTAWAW1118

**Design:** Wood Design

**Features:** PVC-free, bio-based, four-sided microbevel, wood grain embossing


Ultra Matte Finish **Surface Treatment:** 

> Joint: Click

25 Year Residential **Guarantee:** 

10 Year Commercial

**Installation:** Float



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
71 1/2"	7 7/8"	3/8"	6	23.4ft <sup>2</sup>	34.9lbs	48	26





## **JASPER**

LTAWAW1116

**Design:** Wood Design


PVC-free, bio-based, four-sided microbevel, wood grain embossing Features:

**Surface Treatment:** Ultra Matte Finish

> Joint: Click

25 Year Residential 10 Year Commercial **Guarantee:** 


**Installation:** Float



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
71 1/2"	7 7/8"	3/8"	6	23.4ft <sup>2</sup>	34.9lbs	48	26







# KÄHRS LUXURY TILES 5MM CLICK

Kährs Luxury Tiles are designed for everyday life. These LVT floors are waterproof, phthalate-free, and durable, made for families, dogs, dirty shoes, and high heels. With a click locking system, sound-reducing backing, and ceramic coating, these Luxury Tiles are easy to install and just as easy to enjoy.





#### WHINFELL CLW 172

LTCLW2004-172

**Design:** Wood Look Plank **Surface Treatment:** Ceramic Coating

Wear Layer: 12 mil\*

**Joint:** 5G Click


**Guarantee:** 5 Year Commercial

25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.

\*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
47 5/8"	6 3/4"	5mm	10	22.39



www.kahrs.com

CLICK TO RETURN TO TABLE OF CONTENTS



#### WENTWOOD CLW 172

LTCLW2007-172

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

Wear Layer: 12 mil\*


Joint: 5G Click

**Guarantee:** 5 Year Commercial


25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
47 5/8"	6 3/4"	5mm	10	22 39





#### REDWOOD CLW 172

LTCLW2101-172

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

> 12 mil\* Wear Layer:


> > Joint: 5G Click

5 Year Commercial **Guarantee:** 

25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.



 Length	Width	Thickness	Pcs/Ctn	SF/Ctn
47 5/8"	6 3/4"	5mm	10	22.39





## YUKON CLW 172

LTCLW2102-172

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

Wear Layer: 12 mil\*

Joint: 5G Click


**Guarantee:** 5 Year Commercial

25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.

\*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
47 5/8"	6 3/4"	5mm	10	22.39



www.kahrs.com

**CLICK TO RETURN TO TABLE OF CONTENTS** 



## SCHWARZWALD CLW 172

LTCLW2104-172

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

Wear Layer: 12 mil\*

**Joint:** 5G Click


**Guarantee:** 5 Year Commercial

25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.

\*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.




 Length	Width	Thickness	Pcs/Ctn	SF/Ctn	
47 5/8"	6 3/4"	5mm	10	22.39	



www.kahrs.com

**CLICK TO RETURN TO TABLE OF CONTENTS** 



#### SAXON CLW 172

LTCLW2109-172

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

Wear Layer: 12 mil\*


**Joint:** 5G Click

**Guarantee:** 5 Year Commercial


25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
47 5/8"	6 3/4"	5mm	10	22.39





## OULANKA CLW 172

LTCLW2110-172

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

12 mil\* Wear Layer:


> Joint: 5G Click

5 Year Commercial 25 Year Residential **Guarantee:** 

**Installation:** Float

This product may be floated over radiant heat.


\*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
47 5/8"	6 3/4"	5mm	10	22.39



www.kahrs.com



## BELLUNO CLW 172

LTCLW2111-172

**Design:** Wood Look Plank

Surface Treatment: Ceramic Coating

> 12 mil\* Wear Layer:

> > Joint: 5G Click

**Guarantee:** 5 Year Commercial

25 Year Residential


**Installation:** Float

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
47 5/8"	6 3/4"	5mm	10	22.39





#### KANNUR CLW 172

LTCLW2113-172

**Design:** Wood Look Plank, Saw Marks

**Surface Treatment:** Ceramic Coating

Wear Layer: 12 mil\*


**Joint:** 5G Click

**Guarantee:** 5 Year Commercial

25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.



 Length	Width	Thickness	Pcs/Ctn	SF/Ctn
47 5/8"	6 3/4"	5mm	10	22 39





#### NIAGARA CLW 172

LTCLW2114-172

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

Wear Layer: 12 mil\*


**Joint:** 5G Click

**Guarantee:** 5 Year Commercial

25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
47 5/8"	6 3/4"	5mm	10	22.39





TAIGA CLW 172

LTCLW2115-172

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

Wear Layer: 12 mil\*

5G Click Joint:

5 Year Commercial


25 Year Residential

**Installation:** Float

**Guarantee:** 

This product may be floated over radiant heat.

\*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
47 5/8"	6 3/4"	5mm	10	22.39



www.kahrs.com

**CLICK TO RETURN TO TABLE OF CONTENTS** 



#### SAREK CLW 172

LTCLW2116-172

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

Wear Layer: 12 mil\*

**Joint:** 5G Click


5 Year Commercial

25 Year Residential

**Installation:** Float

**Guarantee:** 

This product may be floated over radiant heat.



 Length	Width	Thickness	Pcs/Ctn	SF/Ctn
47 5/8"	6 3/4"	5mm	10	22.39





## MATTERHORN CLS 300-5

LTCLS3004-300-5

**Design:** Stone Look

**Surface Treatment:** Ceramic Coating

Wear Layer: 12 mil\*

5G Click Joint:


5 Year Commercial

25 Year Residential

**Installation:** Float

**Guarantee:** 

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
23 5/8"	11 3/4"	5mm	12	23.25



www.kahrs.com



STEELE CLS 300-5

LTCLS3006-300-5

**Design:** Stone Look

Surface Treatment: Ceramic Coating

> Wear Layer: 12 mil\*


> > 5G Click Joint:

5 Year Commercial **Guarantee:** 

25 Year Residential


**Installation:** Float

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
23 5/8"	11 3/4"	5mm	12	23.25





MAKALU CLS 300-5

LTCLS3007-300-5

**Design:** Stone Look

Surface Treatment: Ceramic Coating

> Wear Layer: 12 mil\*

> > Joint: 5G Click


5 Year Commercial **Guarantee:** 

25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.

\*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
23 5/8"	11 3/4"	5mm	12	23.25



www.kahrs.com



# KÄHRS LUXURY TILES 5MM CLICK | STONE DESIGN SCHWARZHORN CLS 300-5

LTCLS3008-300-5

**Design:** Stone Look

**Surface Treatment:** Ceramic Coating

Wear Layer: 12 mil\*

Joint: 5G Click


5 Year Commercial

25 Year Residential


**Installation:** Float

**Guarantee:** 


This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn
23 5/8"	11 3/4"	5mm	12	23.25







# KÄHRS LUXURY TILES IMPRESSION COLLECTION

CLICK 6MM PRODUCTS

Kährs Luxury Tiles are designed for everyday life. These LVT floors are waterproof, phthalate-free, and durable, made for families, dogs, dirty shoes, and high heels. With a click locking system, sound-reducing backing, and ceramic coating, these Luxury Tiles are easy to install and just as easy to enjoy.

The Impression Collection features extra large formats for extra impressive floors. Plus, thanks to registered embossing, the surface of the floor follows the knots and grain of the pattern image. Created from scans of real wood and stone specimens, these tiles create a true-to-nature experience.





DOVECOT

LTCLW2201-218

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

> Wear Layer: 22 mil

> > 5G Click Joint:

**Guarantee:** 

5 Year Commercial 25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
72"	8 5/8"	6mm	4	17.33	40	21	





CLICK TO RETURN TO TABLE OF CONTENTS



KÄHRS LUXURY TILES | SPREEWALD

339

## KÄHRS LUXURY TILES 6MM CLICK | WOOD DESIGN

**SPREEWALD** 

LTCLW2202-218

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

**Wear Layer:** 22 mil

5G Click Joint:

5 Year Commercial 25 Year Residential **Guarantee:** 

**Installation:** Float



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
72"	8 5/8"	6mm	4	17.33	40	21	





### **BALMORAL**

LTCLW2203-218

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating


> Wear Layer: 22 mil

> > 5G Click Joint:

5 Year Commercial 25 Year Residential **Guarantee:** 

**Installation:** Float

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
72"	8 5/8"	6mm	4	17.33	40	21	





KÄHRS LUXURY TILES | BALMORAL



341



**FOXALL** 

LTCLW2204-218

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating


> Wear Layer: 22 mil

> > 5G Click Joint:

**Guarantee:** 

5 Year Commercial 25 Year Residential

**Installation:** Float



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
72"	8 5/8"	6mm	4	17.33	40	21	







SAHAM

LTCLW2205-218

**Design:** Wood Look Plank


**Surface Treatment:** Ceramic Coating

Wear Layer: 22 mil

> 5G Click Joint:


5 Year Commercial 25 Year Residential **Guarantee:** 

**Installation:** Float



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
72"	8 5/8"	6mm	4	17.33	40	21	







**KELHAM** 

LTCLW2206-218

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating

Wear Layer: 22 mil

5G Click Joint:


**Guarantee:** 

5 Year Commercial 25 Year Residential

**Installation:** Float



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
72"	8 5/8"	6mm	4	17.33	40	21	







### **ODENWALD**

LTCLW2207-218

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating


Wear Layer: 22 mil

> Joint: 5G Click


5 Year Commercial 25 Year Residential **Guarantee:** 

**Installation:** Float

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
72"	8 5/8"	6mm	4	17.33	40	21	





KÄHRS LUXURY TILES | ODENWALD

349



LAPONIA

LTCLW2208-218

**Design:** Wood Look Plank

**Surface Treatment:** Ceramic Coating


> Wear Layer: 22 mil

> > 5G Click Joint:

5 Year Commercial 25 Year Residential **Guarantee:** 

**Installation:** Float

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
72"	8 5/8"	6mm	4	17.33	40	21	





KÄHRS LUXURY TILES | LAPONIA



ULTAR

LTCLS3101-457

**Design:** Stone Look Tile


**Surface Treatment:** Ceramic Coating

Wear Layer: 22 mil


5G Click Joint:

**Guarantee:** 5 Year Commercial 25 Year Residential

**Installation:** Float



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
36"	18"	6mm	10	27	48	24	







**TALUNG** 

LTCLS3102-457

**Design:** Stone Look Tile **Surface Treatment:** Ceramic Coating


Wear Layer: 22 mil

5G Click Joint:

**Guarantee:** 5 Year Commercial 25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.
36"	18"	6mm	10	27	48	24





KÄHRS LUXURY TILES | TALUNG



**ATHOS** 

LTCLS3103-457

**Design:** Stone Look Tile


**Surface Treatment:** Ceramic Coating

Wear Layer: 22 mil

5G Click Joint:

**Guarantee:** 5 Year Commercial 25 Year Residential

**Installation:** Float



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
36"	18"	6mm	10	27	48	24	





**OLYMPUS** 

LTCLS3104-457

**Design:** Stone Look Tile

**Surface Treatment:** Ceramic Coating

Wear Layer: 22 mil

5G Click Joint:

**Guarantee:** 5 Year Commercial 25 Year Residential

**Installation:** Float

This product may be floated over radiant heat.



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
36"	18"	6mm	10	27	48	24	





KÄHRS LUXURY TILES | OLYMPUS

359



**AMARO** 

LTCLS3105-457

**Design:** Stone Look Tile

**Surface Treatment:** Ceramic Coating

Wear Layer: 22 mil


5G Click Joint:

**Guarantee:** 5 Year Commercial 25 Year Residential

**Installation:** Float



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
36"	18"	6mm	10	27	48	24	







**ANETO** 

LTCLS3106-457

**Design:** Stone Look Tile

**Surface Treatment:** Ceramic Coating

Wear Layer: 22 mil

5G Click Joint:


**Guarantee:** 5 Year Commercial 25 Year Residential

**Installation:** Float



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
36"	18"	6mm	10	27	18	2/	





## GROSSGLOCKNER

LTCLS3002-457

**Design:** Stone Look Tile

Surface Treatment: Ceramic Coating

Wear Layer: 22 mil


5G Click Joint:


**Guarantee:** 5 Year Commercial 25 Year Residential

**Installation:** Float



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
36"	18"	6mm	10	27	48	24	





## KILIMANJARO

LTCLS3003-457

**Design:** Stone Look Tile


**Surface Treatment:** Ceramic Coating

Wear Layer: 22 mil

5G Click Joint:

**Guarantee:** 5 Year Commercial 25 Year Residential


**Installation:** Float



Length	Width	Thickness	Pcs/Ctn	SF/Ctn	Ctn/Pallet	Pallets/Cont.	
36"	18"	6mm	10	27	48	24	







# KÄHRS COMPLETE FLOORING SYSTEM FOR LUXURY TILES FLOORING

Kährs offers coordinating accessories for the Luxury Tiles range, so that your new floor will be complete with all the necessary moldings and transitions. Our Luxury Tiles accessories are made of wood and stained to match the product.




For maintenance, Kährs Floor Cleaner can also be used for the Kährs LT Products.



## **Kährs Floor Cleaner** 750 ml bottle Kährs Floor Cleaner 710804

KÄHRS LT FLOORING MOLDINGS & TRANSITIONS



### **Quarter Round**

Conceals expansion space between the wall and Kährs LT flooring. Also used to transition between flooring and cabinetry.

All LT Floors

3/4" x 3/4" x 78"

10lbs

10 pieces



### **Reducer Overlap**


Used with floating floor applications to provide a smooth transition between floors of different heights.

All LT Floors

1 1/2" x 1/3" x 78"

10lbs

5 pieces



### **T-Molding**


Used in doorways to blend flooring surfaces in adjoining rooms or where floors of the same thickness meet

All LT Floors

1 1/2" X 2/5" X 78"

10lbs

5 pieces



#### **Stair Nose Overlap**

Used in stair installations.

All LT Floors

1 1/2" X 4/5" X 78"

20lbs

5 pieces



### **Threshold**


Ideal for doorways or to transition between floors of different heights. Used with wood, tile or carpet.

All LT Floors

1 1/2" X 2/5" X 78"

10lbs

5 pieces



### **Wall Base**

Provides an elegant, traditional transition from the flooring to wall. Gives any room a more formal, finished appearance.

All LT Floors

5/8" x 3 1/2" x 78"

25lbs

5 pieces

\*\*\*Please note that all LT moldings are stained Oak.\*\*\*

\*\*\*Please note that all LT moldings are stained Oak.\*\*\*

## PRODUCT INDEX

A	G	P
Alloy, Oak 205	Ghost, Oak	Pale, Oak 207
Amaro, LT	Gotha, European Maple 39	Paris, Oak
Aneto, LT	Gotland, Ash	Pearl Grey, Oak
Aspeland, Oak 249	Grand Canyon, Aware PVC-Free 283	Pima, Oak 29
Athos, LT	Granite, Oak	Portofino, Oak 211
Aurora, Oak163	Gray, Oak Nouveau 101	Prague, Oak191
	Greige, Oak Nouveau	Pure Oak
B		
<b>B</b>	Grossglockner, LT	Pure Walnut, Oak 17
Balmoral, LT	Gustaf, Oak	
Belluno, LT		
Berlin, Oak185	Н	R
Bianco, Oak Palazzo221	Handbörd, Oak263	Redwood, LT305
Bisbee, Oak	Heather, Oak	Reiter, Oak71
Biscotti, Oak	Henna, Oak	Rise, Oak
Black, Oak Nouveau	Horizon, Oak167	Rocky, Aware PVC-Free
Blonde, Oak Nouveau 105		Rovere, Oak Palazzo
Butterscotch, Oak 13	1	
Bwindi, Aware PVC-Free 281	Jasper, Aware PVC-Free295	S
billian, illand to the tree this is a	jusper, warer verree	Saham, LT
	1/	
<b>C</b>	K	Sand, Oak
Cadence, Oak	Kannur, LT317	Sarek, LT
Carbon, Oak 67	Kappadokien, Aware PVC-Free 279	Savannah, Cherry229
Ceriale, Ash	Kelham, LT347	Saxon, LT
Chalk, Oak 47	Kilimanjaro, LT 367	Schwarzhorn, LT
Charcoal Light, Oak	Klinta, Oak	Schwarzwald, LT
	NIII Ita, Oak 203	
Cirrus, Oak		Seed, Oak
Clay, Oak	L	Serengeti, Aware PVC-Free287
Coast, Oak165	La Paz, Brazilian Cherry241	Sevede, Oak 261
Cocoa Bean, Oak 19	Lace, Oak Nouveau 109	Shore, Oak
Coconut Cream, Oak 1	Laponia, LT	Siena, Oak
Coral, Ash	Lava, Oak	Sky, Oak
Crayon, Oak	Lecco, Oak	Smoky, Aware PVC-Free 293
Creme, Oak	Light Suede, Oak 3	Snow, Oak Nouveau
Curio, Oak 59	Limestone, Oak 209	Spreewald, LT
	Loft White, Oak	Steele, LT
D	·	Stream, Ash
Dovecot, LT	M	Sture, Oak
Driftwood, Oak 9	Makalu, LT	Sun, Oak
Dublin, Oak	Matterhorn, LT	Supai, Oak 25
	Montreal, Walnut 231	
E	Möre, Oak	
Dovecot, LT	Morel, Oak 69	T
Earl Grey, Oak11	Mostra, Oak77	Taiga, LT321
Eggshell, Oak	Muse, Oak	Talung, LT
	Mase, Oak	
Etch, Oak 63	A.I	Tapa, Oak
	N	Taupe, Oak Nouveau113
F	Nature, Red Oak	Terra, Oak
Faded Black, Oak	Niagara, LT319	Texture Grau, Oak 139
Fawn, Oak	_	Texture Natur, Oak 141
Finnveden, Oak	0	Texture Rohoptic, Oak 143
Flow, Ash	Odenwald, LT	Texture Weiss, Oak
Foxall, LT	Olympus, LT	Toronto, Hard Maple227
Fredrik, Oak93	Oulanka, LT	Tuft, Oak 61
Frosted Oat, Oak 131		Tveta, Oak
Frozen Hazelnut, Oak 133		
Fumo, Oak Palazzo 217		U
		Ulf, Oak
		Ultar, LT
		Urban Brown, Oak 127

www.kahrs.com









## **WHY KÄHRS?**

- SWEDISH QUALITY SINCE 1857
- NO ACCLIMATION NEEDED / NO PRE-DELIVERY
- PASSION FOR GREAT DESIGN
- WOODLOC® NO GAPPING!
- LOWEST CLAIMS IN THE INDUSTRY
- HARMONIOUS ENVIRONMENTAL BALANCE
- SAFE FOR YOU AND YOUR FAMILY
- APPROVED FOR INSTALLATIONS OVER RADIANT HEAT



Kährs Headquarters for the Americas 317 Northlake Blvd, Suite 1016 Altamonte Springs, Florida 32701 Tel: +1 800 800 5247 | Fax +1 407 260 9933 info@kahrs.com www.kahrs.com